

Macro completes acquisition of Yandi South Iron Ore Project

Highlights

- ▶ Macro completed its acquisition of the Yandi South Iron Ore Project on 14 October 2026 with consideration payment of \$1M to Western Iron Ore
- ▶ Macro was provided with geological information that will materially increase Macro's ability to accelerate a targeted exploration programme
- ▶ Information includes 370 rock chip samples which display significant iron mineralisation across extensive geographical locations within the Yandi South Iron Ore Project tenure (refer Table 1)
- ▶ 20 samples recorded results above 60% Fe and as high as 66.2% Fe, further supporting prospectivity of the Project's potential for additional high-grade mineralisation
- ▶ 9 new prospects identified from newly received geological information for priority evaluation
- ▶ Macro's planning for its inaugural drilling programme is well advanced and comprises diamond core drilling targeting infill, extensional and metallurgical holes focused around previously drilled area and newly identified prospective targets across tenure package



Figure 1 - Rock Chip Sample YDRK257 – 60.8% Fe

Macro Metals Limited (ASX:M4M) (**Macro** or the **Company**) is pleased to announce that it has successfully completed the acquisition of the Yandi South Iron Ore Project (**Yandi South**) on 14 October 2026 (**Completion**) following its payment of \$1M to Western Iron Ore Pty Ltd (**WIO**).

At Completion, WIO provided Macro with an additional and extensive catalogue of historical geological information not previously provided to Macro. This newly provided information included results from 370 rock chip samples WIO collected across the three tenements that comprise Yandi South.

Macro's technical services team has completed its preliminary assessment of the extensive data sets provided. Macro's recent ground truthing across the project during its due diligence activities, coupled with the provision of this substantial suite of additional information, which has included the handover of physical rock samples, will quickly accelerate Macro's ability to plan infill and extensional drilling across the tenement package.

The newly acquired geological information has enabled Macro's technical team to immediately identify 9 prospects across the Yandi South project, outside the previously drilled area, with 75 individual rock chip samples returning results between 55% Fe and 60% Fe, and a further 22 other samples exceeding 60% Fe and reaching 66.2% Fe.

Macro has determined that these areas warrant priority in-field evaluation with a view to assessing the merits of immediate drilling programmes across each area.




Figure 2 - Yandi South tenure location adjacent to RTIO Yandicoogina and BHP Yandi

Macro Managing Director, Simon Rushton, said:

"We are delighted to have completed our acquisition of the Yandi South Iron Ore Project from Western Iron Ore. The project is located in the heart of a globally significant mining precinct and is surrounded by tier one mining operations that have underutilised processing infrastructure connected to deep water ports by rail.

We were already very satisfied with our decision to acquire the Yandi South Project; however, the additional geological information provided to us at completion of the transaction and reviewed by our technical team yesterday has added further excitement, as it is evidence of high-grade mineralisation at surface across the project and well outside of the relatively small footprint that has previously been drilled. The provision of this technical information will significantly accelerate the technical evaluation and planning activities for further exploration and drill testing of Yandi South with the firm intent of growing the resource."

Location and Tenure

Yandi South is centred on 3 granted Exploration Licenses (56km²) that Macro acquired from WIO, plus an additional 3 Exploration Licenses that Macro has separately applied for (46km²). This 102km² land package puts Macro in a strong position to enact a well-structured, fully funded exploration programme in an area highly prospective for both channel iron (**CID**) and bedrock iron mineralisation.

Yandi South shares boundaries with Rio Tinto's Yandicoogina Mine and BHP's Yandi Mine, with the northernmost aspect of the Yandi South mineralisation being located just 4.5 km from an operational processing plant.

Results and discussion

The results disclosed in this announcement are from rock chip samples taken by WIO over the past 8 years of its ownership of the three tenements Macro acquired. As WIO is a private company, these results have not previously been the subject of ASX announcements or public disclosure.




Figure 3 - Yandi South rock chip locations and 9 newly identified prospects

Next Steps

During its ownership, WIO actively explored the tenure and focused on advancing conceptual, office-based targets with focused follow-up fieldwork to collect rock chip samples and record geological observations with assay testing of the samples. These results are summarised in the tables within this report.

These results were not available to Macro prior to settlement with WIO. The key observations from the sampling are that rock chips have provided hard evidence by way of rock type description and assay results of the more prospective zones and have saved Macro a considerable amount of time and expenditure. They form a strong basis for future exploration and drill planning.

The systematic field work completed by WIO has defined 9 areas of >55% Fe rock chips (outside of the area at Yandi South that has previously been drilled) that require further work, which will include additional mapping and sampling and potentially drill planning.

Macro has planned diamond core drilling with 3 areas of focus:

- Infill drilling of the previously drilled area.
- Extensions to the known resource area
- Metallurgical holes for detailed metallurgy to define the physical properties of the mineralisation

In addition, Macro will formulate exploration models of the rock chip results disclosed as part of the information received and plan field mapping and sampling to support decisions for drill planning and drill access across the 9 prospect areas.

This announcement has been authorised for release by the Board of Directors.

For further information, please contact:

Simon Rushton

Managing Director

Macro Metals Limited

+61 8 6143 6707

info@macrometals.com.au

About Macro Metals Limited

Macro Metals Limited is a mineral exploration, project development, mining and mining services company focused on the delivery of shareholder value through the economic development of natural resource assets and the provision of safe and fit-for-purpose mining services.

The Company directly owns a portfolio of iron ore, manganese and construction material assets which are undergoing active exploration programmes, with the aim of providing future production opportunities.

Separately, through its wholly owned subsidiary, Macro Mining Services Pty Ltd, the Company offers bespoke, safe and highly value-accretive mining services across a range of commodity groups and through the entire pit-to-customer supply chain, including mining, crushing and screening, processing, haulage, ship loading and shipping services.

Competent Person Statement

The information in this announcement that relates to exploration results at the Extension Iron Ore Project is based on and fairly represents information compiled by Mr Robert Jewson, who is a Member of the Australian Institute of Geoscientists and a Non-Executive Director of Macro Metals Limited. Mr Jewson has sufficient experience relevant to the style of mineralisation and type of deposit under consideration, and to the activity which he has undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr Jewson consents to the inclusion in this report of the matters based on this information in the form and context in which it appears. Mr Jewson is a shareholder of Macro Metals Limited.

Appendix 1

Table 1 Additional rock chip sample result

Company	Sample id	Laboratory	East	North	Fe %	SiO ₂ %	Al ₂ O ₃ %	P %	S %	TiO ₂ %	LOI %	Description
WIO 2022	YDRK001	Jinning	718936	7467509	42.21	36.1	0.40	0.04	<0.02	0.02		Shallow S-dipping BIF on flat hill top
WIO 2022	YDRK002	Jinning	719903	7467486	19.98	68.2	0.12	0.02	<0.02	<0.01		Shallow S-dipping BIF on flat hill top
WIO 2022	YDRK003	Jinning	721105	7467756	41.92	34.0	0.61	0.09	0.07	0.03		BIF over a magnetic high zone, almost flat lying
WIO 2022	YDRK005	Jinning	720291	7466879	36.12	46.2	0.25	0.12	<0.02	0.01		Oxidised BIF, hematite rich, from a cliff
WIO 2022	YDRK006	Jinning	720264	7466888	39.84	40.1	0.41	0.06	<0.02	0.01		Oxidised BIF, hematite rich cliff, Fe >50%?
WIO 2022	YDRK007	Jinning	720318	7466898	41.54	38.5	0.32	0.07	<0.02	0.02		Oxidised BIF, north margin of a 80m wide hematite rich unit
WIO 2022	YDRK008	Jinning	720520	7466851	35.47	47.0	0.60	0.03	<0.02	0.02		On a gentle slope down from Sample YDrock007
WIO 2022	YDRK009	Jinning	720240	7466563	57.03	3.9	2.95	0.12	0.09	0.06		Oxidised BIF, hematite rich, Fe >50%?
WIO 2022	YDRK010	Jinning	720118	7466500	53.02	9.0	4.87	0.11	0.13	0.19		Lateritic duricrust, goethite, hematite, BIF clasts cemented by goethite and clay
WIO 2022	YDRK011	Jinning	720296	7466375	54.59	5.8	5.21	0.08	0.07	1.64		Pisolitic BID, 5mm hematite peloids rimmed by goethite, continued 100m south and beyond E47/3531
WIO 2022	YDRK012	Jinning	720174	7466638	58.45	3.0	1.98	0.13	0.05	0.09		North of a drill plan area
WIO 2022	YDRK013	Jinning	720100	7466702	54.95	4.0	2.83	0.04	0.07	0.10		North of a drill plan area at SW corner, hematite rich
WIO 2022	YDRK014	Jinning	719992	7466761	56.45	4.3	2.78	0.03	0.09	0.08		Hematite/goethite rich BIF, sub-horizontal bedding, south dipping
WIO 2022	YDRK015	Jinning	718101	7469293	45.08	28.4	0.40	0.21	0.02	0.01		50m-wide hematite BIF unit contains solid hematite, Fe >55%?, moderately north dipping (30°), Target 7
WIO 2022	YDRK016	Jinning	718018	7469312	27.17	58.0	0.32	0.06	<0.02	0.01		Same unit with YDrock015, 50m-wide contains abundant hematite, Fe >40%? Target 7
WIO 2022	YDRK017	Jinning	718198	7470629	55.55	4.3	5.04	0.10	0.09	1.51		A patch of CID: mix of pisolite, hematite, laterite, beeded, 200m x 50m dimension
WIO 2022	YDRK018	Jinning	718291	7471048	39.67	39.2	0.49	0.03	<0.02	0.02		North of the 80m wide river bed, low Fe grade
WIO 2022	YDRK019	Jinning	717713	7471374	34.33	40.0	1.88	0.11	0.03	0.30		Lateritic, oxidised BIF, hematite-magnetite-goethite-clay, a lateritic BID?
WIO 2022	YDRK020	Jinning	717413	7470901	55.36	4.6	5.36	0.12	0.05	0.18		Near a drill plan area, hematite-goethite with minor rock clasts, a lateritic BID?
WIO 2022	YDRK021	Jinning	726820	7475307	26.60	59.6	0.61	0.04	<0.02	0.02		Gently north dipping BIF (<5°)



MACRO METALS
LIMITED

Company	Sample id	Laboratory	East	North	Fe %	SiO2 %	Al2O3 %	P %	S %	TiO2 %	LOI %	Description
WIO 2022	YDRK022	Jinning	726686	7475396	49.30	13.8	9.60	0.12	0.06	0.57		Northeast facing down hill, 200m x 50m, pisolite+rock clusts
WIO 2022	YDRK023	Jinning	726639	7475357	22.80	65.0	0.21	0.03	<0.02	0.00		BIF, av grade, mt hm qz almost flat lying, CID floats near YDrock022
WIO 2022	YDRK024	Jinning	726468	7475321	41.27	36.0	0.88	0.09	0.03	0.05		
WIO 2022	YDRK025	Jinning	726336	7475466	57.00	5.6	3.44	0.06	<0.02	0.44		Best CID , pisoliitic hm, go, on south bank, >60% Fe?
WIO 2022	YDRK026	Jinning	726294	7475470	60.54	4.4	1.61	0.06	0.08	0.15		On south river bank. There is a 2cm diameter burrow looking like a blast hole
WIO 2022	YDRK027	Jinning	726256	7475191	40.52	38.6	0.31	0.03	<0.02	0.01		On a gentle slope
WIO 2022	YDRK028	Jinning	726437	7474994	49.94	11.0	7.82	0.04	0.03	0.94		100M wide valley full of CID, in a drill plan area
WIO 2022	YDRK029	Jinning	726442	7474777	41.81	14.4	13.24	0.04	0.03	0.49		Southern contact with BIF, >1cm coarse aggregates/rock clusts
WIO 2022	YDRK030	Jinning	726296	7474699	39.42	40.9	0.40	0.08	0.02	0.05		Magnetit on a small (5m cross) mount/island in a tributry of Yandigoogina creek
WIO 2022	YDRK031	Jinning	726289	7474592	31.53	34.2	8.46	0.18	0.05	1.23		On a cliff
WIO 2022	YDRK032	Jinning	725652	7474762	40.28	18.6	12.35	0.05	0.07	1.37		Big system, rock clasts, some with bedding (032), some don't (031)
WIO 2022	YDRK033	Jinning	725398	7474787	23.81	61.3	1.04	0.05	0.01	0.05		CID-BIF contact (CID to the north, BIF to the south)
WIO 2022	YDRK034	Jinning	725971	7475189	58.83	5.3	1.80	0.07	0.02	0.07		On a river bank
WIO 2022	YDRK035	Jinning	725900	7475493	48.60	13.4	7.12	0.05	<0.02	0.55		Consists lots rock clasts, goethite high, coarse, aaverage grade. Down slope full of CID
WIO 2022	YDRK036	Jinning	725925	7475584	38.74	42.5	0.50	0.06	0.01	0.02		From a cliff, Target 2, High grade, 35% Fe? Flat lying bedding
WIO 2022	YDRK037	Jinning	724897	7475002	30.59	53.2	0.41	0.09	<0.02	0.02		From a cliff, Target 1, sub-horizontal bedding
WIO 2022	YDRK038	Jinning	724942	7474933	33.53	46.1	0.53	0.16	<0.02	0.02		From a cliff, Target 1, sub-horizontal bedding, mirror 037 cliff
WIO 2022	YDRK039	Jinning	726181	7475616	28.57	56.8	0.45	0.03	<0.02	0.03		15m high cliff.
WIO 2022	YDRK041	Jinning	724189	7474938	58.97	3.6	1.22	0.13	0.06	0.02		In a drill plan area, west of Target 1, northwest bank
WIO 2022	YDRK042	Jinning	724266	7474553	34.51	45.6	0.39	0.05	<0.02	0.01		from a cliff on southeast bank of a creek
WIO 2022	YDRK043	Jinning	726744	7475074	55.68	4.7	4.04	0.04	0.03	0.68		on a small tributry creek bed, east of a drill plan area
WIO 2022	YDRK044	Jinning	726780	7474780	26.86	58.3	1.28	0.02	<0.02	0.06		on hill top, SW dipping 20°
WIO 2022	YDRK045	Jinning	726535	7474446	22.41	64.0	0.21	<0.02	<0.02	0.01		on hill top, folded BIF
WIO 2022	YDRK046	Jinning	726366	7474408	16.84	72.5	0.44	<0.02	<0.02	0.01		on a hill top, BIF north dipping at 30°
WIO 2022	YDRK047	Jinning	726334	7474491	61.14	3.8	1.77	0.11	0.05	0.35		Target 3 area, on a north-north-west extended spur, from high to low elevation: BIF - CID - BID, 150m x 80m

Company	Sample id	Laboratory	East	North	Fe %	SiO ₂ %	Al ₂ O ₃ %	P %	S %	TiO ₂ %	LOI %	Description
WIO 2022	YDRK048	Jinning	726307	7474548	45.88	13.8	7.82	0.04	0.05	0.39		Target 3 area, on a north-north-west extended spur, from high to low elevation: BIF - CID - BID, 150m x 80m
WIO 2022	YDRK049	Jinning	726593	7474767	14.29	75.8	0.46	0.03	<0.02	0.01		on flat hill top
WIO 2022	YDRK050	Jinning	726380	7474832	58.97	3.9	1.70	0.08	0.08	0.13		pisolite, within a drill plan area
WIO 2022	YDRK051	Jinning	726193	7474561	36.02	42.6	0.61	0.11	<0.02	0.03		near BIF-dolerite contact, 2m dolerite overlay BIF, SW dipping 15°
WIO 2022	YDRK052	Jinning	726214	7474373	31.85	53.3	0.52	0.02	<0.02	0.02		BIF on a creek bank
WIO 2022	YDRK053	Jinning	726254	7475425	54.41	6.1	3.85	0.09	0.02	0.27		CID on a creek bank
WIO 2022	YDRK054	Jinning	726674	7475467	28.79	56.0	0.67	0.02	<0.02	0.02		southeast dipping at 10°
WIO 2022	YDRK055	Jinning	726705	7475453	34.66	45.6	0.21	0.06	<0.02	0.01		BIF under duricrust
WIO 2022	YDRK056	Jinning	728386	7474844	24.06	57.3	0.80	0.08	<0.02	0.03		Thinly bedded BIF, moderate Fe grade
WIO 2022	YDRK057	Jinning	727952	7474646	26.33	57.6	0.73	0.03	<0.02	0.03		Southeast of the container, on hill top
WIO 2022	YDRK058	Jinning	727320	7475443	39.35	38.3	0.99	0.19	<0.02	0.05		From the hill south of container
WIO 2022	YDRK059	Jinning	717485	7469390	41.16	38.8	0.56	0.02	<0.02	0.02		Oxidised BIF, hm-go-qz, steep dipping (85°) to south, Target 7
WIO 2022	YDRK060	Jinning	724015	7468733	26.00	59.4	0.29	0.02	<0.02	0.01		On top of a cliff, Target 8
WIO 2022	YDRK061	Jinning	724047	7468777	47.41	28.1	0.25	0.05	0.05	0.02		Cranulated BIF, Target 8
WIO 2022	YDRK062	Jinning	724338	7467386	21.49	67.8	0.56	0.03	<0.02	0.02		Altered BIF, hm rich, near BIF(south side)-dolerite (north side) contact, high Fe grade enriched by dolerite intrusion
WIO 2022	YDRK063	Jinning	724276	7467411	27.49	58.7	0.26	<0.02	<0.02	0.01		Altered BIF, hm rich, near BIF(south side)-dolerite (north side) contact, high Fe grade enriched by dolerite intrusion
WIO 2022	YDRK064	Jinning	724264	7467362	32.08	51.9	0.36	0.02	0.02	0.02		Altered BIF, hm rich, near BIF(south side)-dolerite (north side) contact, high Fe grade enriched by dolerite intrusion
WIO 2022	YDRK065	Jinning	724337	7467340	34.91	46.5	2.40	0.02	0.02	0.10		Altered BIF, hm rich, near BIF(south side)-dolerite (north side) contact, high Fe grade enriched by dolerite intrusion
WIO 2022	YDRK066	Jinning	725492	7471853	63.73	2.3	1.23	0.15	0.02	0.05		Oxidised BIF, near CID sample no. 20211216 which assayed 47.18% Fe
WIO 2022	YDRK067	Jinning	725410	7471812	26.30	59.6	0.28	0.06	<0.02	0.02		Oxidised BIF, near CID sample no. 20211216 which assayed 47.18% Fe, top of a cliff
WIO 2022	YDRK068	Jinning	725426	7471761	52.11	6.8	8.42	0.08	0.13	2.38		Small patch of pisolite on a small creek bed. Further 20m up stream, saw a CID float
WIO 2022	YDRK069	Jinning	725452	7471720	57.09	5.8	5.40	0.10	0.04	0.21		Oxidised BIF? on a gentle slope

Company	Sample id	Laboratory	East	North	Fe %	SiO2 %	Al2O3 %	P %	S %	TiO2 %	LOI %	Description
WIO 2022	YDRK070	Jinning	725570	7471680	62.97	3.1	1.60	0.04	<0.02	0.03		On a flat hill top
WIO 2022	YDRK071	Jinning	726227	7472791	47.68	13.5	7.29	0.10	0.13	0.99		8-10m thick coarse lateritic BID on cliff
WIO 2022	YDRK072	Jinning	726255	7472769	62.60	5.1	2.02	0.15	0.08	0.58		Coarse lateritic BID
WIO 2022	YDRK073	Jinning	726323	7472808	38.13	32.7	3.21	0.22	0.08	0.25		Coarse lateritic BID, goethite increases
WIO 2022	YDRK074	Jinning	726272	7472858	40.51	21.3	7.37	0.08	0.05	1.25		Coarse lateritic BID, goethite increases
WIO 2022	YDRK075	Jinning	723009	7472017	39.52	35.5	1.37	<0.02	0.02	0.03		Thinly bedded BIF, average Fe grade
WIO 2022	YDRK076	Jinning	727538	7474164	25.68	61.6	0.65	0.02	<0.02	0.04		Flat lysing bedding
WIO 2022	YDRK077	Jinning	722731	7472326	45.19	22.5	5.33	0.08	0.17	0.95		Massive goethitic iron oxides, near a drilling programme, flat hill top, west of Target 5
WIO 2022	YDRK078	Jinning	722779	7472257	53.52	15.8	1.80	0.12	0.11	1.45		Massive goethitic iron oxides, near a drilling programme, flat hill top, west of Target 5
WIO 2022	YDRK079	Jinning	722833	7472255	56.45	12.2	4.31	0.09	0.03	1.33		Massive goethitic iron oxides, near a drilling programme, flat hill top, west of Target 5
WIO 2022	YDRK080	Jinning	722904	7472196	55.12	8.6	3.23	0.12	0.09	1.36		Massive goethitic iron oxides, near a drilling programme, flat hill top, west of Target 5
WIO 2022	YDRK081	Jinning	722861	7471875	52.21	7.3	1.54	0.05	0.05	0.04		Target 15 (BIF), oxidised BIF near surface
WIO 2022	YDRK082	Jinning	722910	7471924	44.69	24.8	2.12	0.10	0.10	0.09		Target 15 (BIF), oxidised BIF near surface
WIO 2023	YDRK-083	Jinning	726736	7475024	46.32	10.8	13.15	0.04	0.05	1.37	7.06	Hematitic ironstone with BIF othe metamorphic rock debris over a 60m x 30m ridge area
WIO 2023	YDRK-084	Jinning	726729	7474976	50.53	8.7	11.68	0.04	0.1	1.15	5.75	Pisolitic lumps, pisolite granules are up to 6mm in size. Site it up spur from YDRK083.
WIO 2023	YDRK-085	Jinning	726712	7474911	47.17	12.3	7.55	0.23	0.07	0.3	11.91	Massive hematite and goethite, further up slope from YDRK084
WIO 2023	YDRK-086	Jinning	726755	7474866	42.66	36.1	1.23	0.05	0.01	0.09	1.17	Oxidized BIF
WIO 2023	YDRK-087	Jinning	724702	7475001	51.03	10.2	8.56	0.05	0.03	0.18	8.18	Top of the hill (mesa)
WIO 2023	YDRK-088	Jinning	724847	7474791	30.85	54.4	0.73	0.03	0.01	0.02	0.81	5 degree dipping angle
WIO 2023	YDRK-089	Jinning	724937	7474739	38.54	41.2	1.11	0.06	0.01	0.04	1.01	South dipping at 10 degrees
WIO 2023	YDRK-090	Jinning	725041	7474829	33.46	49.4	0.25	0.04	0.02	0.02	1.78	South dipping at 10 degrees
WIO 2023	YDRK-091	Jinning	725416	7474777	41.95	38.2	0.53	0.02	0.01	0.02	0.7	Heli landing site
WIO 2023	YDRK-092	Jinning	725424	7474791	36.29	22	14.94	0.05	0.05	0.79	9.68	Clost to YDRK 092



Company	Sample id	Laboratory	East	North	Fe %	SiO2 %	Al2O3 %	P %	S %	TiO2 %	LOI %	Description
WIO 2023	YDRK-093	Jinning	725425	7474860	41.84	14.5	11.92	0.03	0.03	0.86	9.61	Good CID on cliff top, fine grain pisolite. 30-40m cliff full of CID, opposite cliff (west of a 50m wide creek) has 3 caves formed in CID
WIO 2023	YDRK-094	Jinning	725419	7474884	58.31	3.1	1.59	0.06	0.09	0.04	10.59	Fine-grain pisolite CID, sampled on eastern cliff edge
WIO 2023	YDRK-095	Jinning	725468	7474901	56.42	6.7	3.26	0.06	0.03	0.14	8.76	As above. CID distributed on a ~100m wide, 130m long ridge ? 30-40m thick.
WIO 2023	YDRK-096	Jinning	725528	7474916	58.19	5.6	1.2	0.07	0.06	0.07	9.24	As above. CID distributed on a ~100m wide, 130m long ridge ? 30-40m thick.
WIO 2023	YDRK-097	Jinning	725651	7474926	60.25	4.6	1.58	0.07	0.06	0.09	5.82	As above. CID distributed on a ~100m wide, 130m long ridge ? 30-40m thick.
WIO 2023	YDRK-098	Jinning	725777	7474964	60.20	3.6	2.42	0.09	0.04	0.13	7.47	As above. CID distributed on a ~100m wide, 130m long ridge ? 30-40m thick.
WIO 2023	YDRK-099	Jinning	725809	7474992	57.20	3.6	1.15	0.1	0.06	0.02	12.82	Northern margin of CID
WIO 2023	YDRK-100	Jinning	725730	7474900	63.37	3.2	1.7	0.12	0.01	0.11	3.51	CID. Walked across eastern creek, CID occurs at this creek bed, suggesting this CID deposit is quite thick.
WIO 2023	YDRK-101	Jinning	725741	7474839	55.63	5.7	4.31	0.06	0.04	0.32	8.36	CID, as YDRK 098
WIO 2023	YDRK-102	Jinning	725698	7474799	39.96	18	12.95	0.03	0.01	1.6	8.75	CID, as above
WIO 2023	YDRK-103	Jinning	725649	7474760	41.98	16.5	13.36	0.06	0.05	1.65	8.67	CID margin with BIF debris
WIO 2023	YDRK-104	Jinning	725589	7474786	30.03	23.9	19.6	0.02	0.04	0.72	12.67	BIF/BID margin, with light lolure, more goethite and clay
WIO 2023	YDRK-105	Jinning	725503	7474787	36.08	20.6	17.18	0.04	0.05	0.57	9.54	Coarse cemented gravels
WIO 2023	YDRK-106	Jinning	725397	7474736	33.76	48.7	1.03	0.06	0.03	0.04	1.86	On hill top
WIO 2023	YDRK-107	Jinning	725398	7474392	16.66	72.7	0.93	0.04	0.01	0.03	0.7	Low grade, more chert bands than magnetite
WIO 2023	YDRK-108	Jinning	725342	7474466	45.19	34.6	0.43	0.03	0.01	0.01	0.6	BIF on hill top
WIO 2023	YDRK-109	Jinning	725306	7474538	20.36	68.4	0.46	0.01	0.01	0.005	0.78	BIF on hill top
WIO 2023	YDRK-110	Jinning	725226	7474542	32.24	48.1	0.67	0.06	0.01	0.01	1.43	BIF on hill top
WIO 2023	YDRK-111	Jinning	725103	7473174	23.72	63.4	0.19	0.03	0.01	0.02	0.19	BIF West dipping
WIO 2023	YDRK-112	Jinning	723347	7473277	13.90	79.3	0.09	0.05	0.01	0.005	0.15	BIF on hill top
WIO 2023	YDRK-113	Jinning	723740	7472856	45.36	26.5	4.15	0.03	0.03	0.06	4.22	Weather BIF at hill top, low grade
WIO 2023	YDRK-114	Jinning	723783	7472809	63.48	4.6	1.01	0.02	0.05	0.03	1.42	Hill top, flat lying
WIO 2023	YDRK-115	Jinning	724905	7471974	32.56	51.7	0.41	0.04	0.01	0.02	0.26	On top of a cliff



Company	Sample id	Laboratory	East	North	Fe %	SiO2 %	Al2O3 %	P %	S %	TiO2 %	LOI %	Description
WIO 2023	YDRK-116	Jinning	724935	7472020	48.90	16.9	3.68	0.06	0.05	1.61	6.75	Thin (1-2m) crust of BID, 6 - 10mm debris granuals
WIO 2023	YDRK-117	Jinning	725005	7471933	37.81	28	7.02	0.05	0.06	0.67	9.53	Becomes thicker eastward, cliff shows the BID is about 3-5 m thick.
WIO 2023	YDRK-118	Jinning	725061	7471916	45.47	19.8	3.27	0.04	0.11	0.12	11.24	Sheeted, with coarse rock fragments
WIO 2023	YDRK-119	Jinning	725127	7471888	42.72	20.2	6.33	0.04	0.05	0.58	10.99	Cliff edge
WIO 2023	YDRK-120	Jinning	725132	7471900	38.36	31.4	3.04	0.03	0.05	0.23	9.3	Sampled 20m away from cliff, close to a coarse BID / BIF contact
WIO 2023	YDRK-121	Jinning	725130	7471909	38.54	42.4	0.83	0.05	0.01	0.04	1.48	10m from BID/BIF contact
WIO 2023	YDRK-122	Jinning	725046	7472034	45.59	33.4	0.43	0.05	0.01	0.02	0.62	BIF
WIO 2023	YDRK-123	Jinning	724897	7472196	32.19	47.4	0.58	0.26	0.01	0.01	4.48	BIF
WIO 2023	YDRK-124	Jinning	722995	7471842	30.91	52.1	0.66	0.02	0.03	0.04	2.88	BIF
WIO 2023	YDRK-125	Jinning	723037	7471937	20.43	67.2	0.65	0.03	0.01	0.03	2.94	BIF
WIO 2023	YDRK-126	Jinning	723221	7471676	48.01	17.6	2.38	0.07	0.07	0.11	9.81	BID on on a flat hill slope, specularite baring
WIO 2023	YDRK-127	Jinning	723144	7471637	48.56	22.4	1.02	0.14	0.05	0.06	6.8	Cherty BIF, oxidized, specularite bearing
WIO 2023	YDRK-128	Jinning	723035	7471639	56.08	14.3	0.49	0.03	0.01	0.03	4.46	Cherty BIF, oxidized, specularite bearing
WIO 2023	YDRK-129	Jinning	722951	7471714	47.52	20.7	0.63	0.11	0.04	0.03	10.19	Cherty BIF, oxidized, specularite bearing
WIO 2023	YDRK-130	Jinning	723130	7471705	24.64	54.4	0.48	0.01	0.02	0.02	9.63	Cherty BIF, oxidized, specularite bearing
WIO 2023	YDRK-131	Jinning	723222	7471707	52.90	6.3	4.14	0.02	0.08	0.15	12.93	Duricrust, hm, goethite, BIF, chert fragments to 5cm in size.
WIO 2023	YDRK-132	Jinning	723371	7471788	34.70	41.4	2.14	0.05	0.08	0.09	5.81	Oxidized BIF, partially exposed under the duricrust
WIO 2023	YDRK-133	Jinning	723508	7471782	16.32	62.9	6.69	0.03	0.11	0.64	6.06	Goethite dominant, CID/BID on a small river bed, yellow in color
WIO 2023	YDRK-134	Jinning	723579	7471787	40.28	33.5	2.99	0.05	0.11	0.45	4.71	Yellow-brown, goethite high,sampled on a ridge spur nose, the mateiral possible 1m thick up hill an d10m down hill.
WIO 2023	YDRK-135	Jinning	723676	7471765	51.52	8.2	3.95	0.06	0.1	0.13	13.46	Coarse aggrigates of goethite/hematite and other rock fragments. Yellow-light brown colour. Not standard CID
WIO 2023	YDRK-136	Jinning	723703	7471684	46.34	21.8	5.31	0.06	0.06	1.02	4.43	On other side of the hill, coarse, egg-sized ironstone balls, with some rock clasts. Estimated to 10 - 20m thick.
WIO 2023	YDRK-137	Jinning	723606	7471655	42.23	15.7	12.78	0.04	0.05	1.25	8.63	BID margin? Hematite 20%, goethite 50% and clay 30%,
WIO 2023	YDRK-138	Jinning	724416	7471680	50.61	17.8	3.19	0.06	0.05	0.53	5.72	Mesa full of dark brown CID floats, sample taken from O/C,
WIO 2023	YDRK-139	Jinning	724440	7471772	50.49	10.2	3.43	0.05	0.15	0.18	13.3	On a cliff edge, 20-30m thick, some rock clasts, grade may be moderate



Company	Sample id	Laboratory	East	North	Fe %	SiO2 %	Al2O3 %	P %	S %	TiO2 %	LOI %	Description
WIO 2023	YDRK-140	Jinning	724505	7471688	43.25	31.6	1.37	0.09	0.04	0.26	3.24	On a cliff edge, a/b but finer and not much rock clasts, some shinny surface of specularite
WIO 2023	YDRK-141	Jinning	724581	7471637	45.21	22.4	2.26	0.05	0.13	0.18	10.3	On southeast side of a cliff edge, BID is about 40m thick with coarse clasts, brown-black-yellow color
WIO 2023	YDRK-142	Jinning	724478	7471590	42.29	25.1	4.11	0.06	0.05	0.29	10.06	BID float on a flat hill top.
WIO 2023	YDRK-143	Jinning	718498	7471265	60.04	9.1	1.81	0.04	0.02	0.07	2.8	
WIO 2023	YDRK-144	Jinning	718493	7471308	28.27	55.9	0.7	0.03	0.05	0.03	1.8	
WIO 2023	YDRK-145	Jinning	718445	7471330	49.07	25.5	0.95	0.04	0.03	0.04	1.77	
WIO 2023	YDRK-146	Jinning	717531	7471066	54.22	4.7	5.23	0.08	0.04	0.44	12.04	Surface floats of ironstones
WIO 2023	YDRK-147	Jinning	717479	7470999	55.98	4.3	4.01	0.09	0.03	0.11	11.5	from a small river bed, mid-coarse particle size with some rock debris
WIO 2023	YDRK-148	Jinning	717440	7471020	55.21	5.3	4.25	0.09	0.06	0.11	10.48	On a mesa
WIO 2023	YDRK-149	Jinning	717551	7470848	54.34	5.7	5.38	0.07	0.04	0.12	10.63	On a mesa
WIO 2023	YDRK-150	Jinning	717654	7470877	45.62	21.1	5.17	0.06	0.05	0.24	8.28	On a mesa
WIO 2023	YDRK-151	Jinning	717323	7470066	54.92	4.1	4.44	0.09	0.1	0.16	12.39	East edge of a mesa, coarse, insect burrows.
WIO 2023	YDRK-152	Jinning	717364	7470149	56.90	5.1	4.22	0.13	0.05	0.16	8.77	On a mesa that is full of BID
WIO 2023	YDRK-153	Jinning	717360	7470278	55.17	4.6	5.36	0.09	0.03	0.24	9.53	Pisolitic, heavy
WIO 2023	YDRK-154	Jinning	717387	7470373	51.65	6.5	7.6	0.12	0.06	0.34	11.2	A/b, Also seen from a creek NE of YDRK154. BIF/chert/mafic saprolite
WIO 2023	YDRK-155	Jinning	717283	7470430	55.62	6.5	6.49	0.11	0.03	0.24	5.83	Pisolite, 2-3mm grain size pisols
WIO 2023	YDRK-156	Jinning	717272	7470264	47.60	10.7	9.94	0.1	0.05	0.6	9.98	
WIO 2023	YDRK-157	Jinning	717222	7470203	55.48	5.8	8.44	0.14	0.04	0.42	5.45	From western edge of a mesa, the cliff has 5m thick dark BID on top and lighter colour material below.
WIO 2023	YDRK-158	Jinning	717238	7470117	55.57	6.6	5.22	0.13	0.03	0.24	6.81	Coarse particles /clasts
WIO 2023	YDRK-159	Jinning	717375	7469884	21.90	62.3	1.03	0.04	0.02	0.05	4.51	Banded Cherty BIF, magnetite < 20%
WIO 2023	YDRK-160	Jinning	717303	7469860	49.33	8.7	9.49	0.06	0.08	0.5	9.34	10m x 300m duricrust/BID, NE extended
WIO 2023	YDRK-161	Jinning	719936	7466782	52.83	12.8	2.89	0.07	0.12	0.25	8.42	Oxidized (hm + goethite+clay) with >5 caves of 50cm max height developed from collapsed BIF saprolites.
WIO 2023	YDRK-162	Jinning	719903	7466678	65.57	2.9	1.91	0.05	0.04	0.08	1.55	hm +goethite + clay, sheeted, collapsed saprolite
WIO 2023	YDRK-163	Jinning	719932	7466551	56.21	8.1	5.1	0.09	0.04	0.17	5.95	Flat sheets of oxidized BIF remnants (collapsed saprolite?)



Company	Sample id	Laboratory	East	North	Fe %	SiO2 %	Al2O3 %	P %	S %	TiO2 %	LOI %	Description
WIO 2023	YDRK-164	Jinning	719957	7466499	57.59	4.4	5.18	0.07	0.07	2.45	4.9	Pisolitic, hm + goe + clay, particule sizes 2 - 4mm
WIO 2023	YDRK-165	Jinning	719970	7466415	57.46	4.1	5.04	0.06	0.06	1.12	7.39	A/b, coarser pisolite 4 - 8mm. Photo looking west
WIO 2023	YDRK-166	Jinning	720067	7466386	55.83	4.6	7.2	0.04	0.04	1.53	6.34	A/b, coarse granules, close to CID/BIF contact
WIO 2023	YDRK-167	Jinning	720067	7466386	43.55	29.7	1.14	0.05	0.03	0.06	6.52	Hematite BIF, same location as YDRK166
WIO 2023	YDRK-168	Jinning	720161	7466407	51.28	9.1	9.62	0.04	0.05	1.45	5.95	Bedded samprolite/collapsed BIF etc, pisolite developed on plate surface. Pisolite is 3mm - 5mm size.
WIO 2023	YDRK-169	Jinning	720230	7466442	54.36	4.2	5.49	0.07	0.2	0.25	11.75	Collapsed BIF/chert saprolites
WIO 2023	YDRK-170	Jinning	721135	7467903	12.47	78.9	0.59	0.02	0.01	0.05	1.05	cherty BIF, fine lamination, less mt
WIO 2023	YDRK-171	Jinning	725576	7468164	59.47	10.7	1.08	0.03	0.03	0.05	2.1	Hematite BIF,thick chert bands up to 3 cm wide.
WIO 2023	YDRK-172	Jinning	724953	7468441	24.70	62.2	0.25	0.01	0.05	0.02	0.39	Cherty BIF, folded/cranulated
WIO 2023	YDRK-173	Jinning	724407	7468547	43.24	34	0.75	0.02	0.02	0.02	2.25	Folded BIF with thicker quartz bands of up to 2cm thick
WIO 2023	YDRK-174	Jinning	721750	7466451	3.31	94.1	0.16	0.04	0.01	0.005	0.21	Fine lamination of 3mm bands
WIO 2023	YDRK-175	Jinning	717235	7467289	47.22	12.7	6.8	0.05	0.14	0.56	12.32	200m east of large cave outside of tenement. Avout 5m thick,red-brownish surface, hm + goe + qtz sands, a bit porous
WIO 2023	YDRK-176	Jinning	717394	7467259	50.77	7	6.77	0.03	0.13	0.39	13.17	Coarse BID on cliff top, the cliff has few animal caves/borrows.
WIO 2023	YDRK-177	Jinning	717676	7467224	56.32	4.1	5.36	0.03	0.09	0.34	8.93	A/b, close to the eastern margin of the BID
WIO 2023	YDRK-178	Jinning	718069	7467237	38.93	41.6	0.74	0.01	0.02	0.03	1.27	Hematite BIF, low iron content, with light bands (5cm) of cherty material
WIO 2024	YDRK 179	Jinning	726512	7475568	57.97	5.42	2.27	0.06	0.07	0.18	7.87	CID
WIO 2024	YDRK 180	Jinning	726256	7475424	59.36	2.91	1.33	0.09	0.04	0.07	10.05	CID
WIO 2024	YDRK 181	Jinning	726082	7475353	59.47	4.17	1.34	0.05	0.04	0.02	8.09	CID
WIO 2024	YDRK 182	Jinning	725961	7475225	59.63	4.24	1.46	0.07	<0.02	0.04	7.41	CID
WIO 2024	YDRK 183	Jinning	725826	7475009	56.09	3.76	2.44	0.09	0.04	0.03	12.12	CID
WIO 2024	YDRK 184	Jinning	725797	7474987	56.38	5.16	2.31	0.14	0.07	0.05	10.99	CID
WIO 2024	YDRK 185	Jinning	725746	7474960	57.57	5.33	2.00	0.13	0.19	0.03	8.43	CID
WIO 2024	YDRK 186	Jinning	725684	7474940	58.36	4.45	1.40	0.08	0.06	0.02	9.78	CID
WIO 2024	YDRK 187	Jinning	725619	7474941	57.97	5.42	1.77	0.08	0.10	0.03	9.01	CID
WIO 2024	YDRK 188	Jinning	725583	7474956	50.43	11.63	7.33	0.06	<0.02	0.31	7.74	CID
WIO 2024	YDRK 189	Jinning	725545	7474946	54.84	6.40	4.62	0.07	0.06	0.19	9.79	CID

Company	Sample id	Laboratory	East	North	Fe %	SiO2 %	Al2O3 %	P %	S %	TiO2 %	LOI %	Description
WIO 2024	YDRK 190	Jinning	725475	7474950	54.26	10.41	2.63	0.05	0.09	0.11	8.57	CID
WIO 2024	YDRK 191	Jinning	725436	7474942	58.83	3.00	2.90	0.05	0.05	0.17	7.75	CID
WIO 2024	YDRK 192	Jinning	725407	7474893	58.18	4.71	1.31	0.10	0.09	0.02	10.42	CID
WIO 2024	YDRK 193	Jinning	725338	7474817	43.27	16.89	13.39	0.03	0.04	0.67	7.00	CID
WIO 2024	YDRK 194	Jinning	725345	7474795	36.04	44.07	1.25	0.09	0.04	0.04	3.03	BIF
WIO 2024	YDRK 195	Jinning	725398	7474824	40.39	18.44	14.44	0.03	0.04	0.71	8.19	CID
WIO 2024	YDRK 196	Jinning	725500	7474878	59.08	3.42	1.87	0.06	0.08	0.06	9.70	CID
WIO 2024	YDRK 197	Jinning	725553	7474830	50.68	9.31	6.72	0.04	0.09	0.47	10.13	CID
WIO 2024	YDRK 198	Jinning	725798	7474894	58.17	5.47	4.02	0.08	0.03	0.23	6.24	CID
WIO 2024	YDRK 199	Jinning	725683	7474881	54.03	5.05	3.68	0.07	0.04	0.21	13.31	CID
WIO 2024	YDRK 200	Jinning	725629	7474823	56.39	5.10	1.70	0.06	0.13	0.07	11.78	CID
WIO 2024	YDRK 201	Jinning	725470	7474765	33.07	48.62	0.99	0.03	0.04	0.03	2.57	BIF
WIO 2024	YDRK 202	Jinning	718561	7471326	17.80	72.75	0.31	0.02	0.02	0.02	1.14	BIF
WIO 2024	YDRK 203	Jinning	718584	7471406	37.49	31.89	3.53	0.06	0.04	0.14	9.94	CID
WIO 2024	YDRK 204	Jinning	717582	7470798	49.05	9.06	6.49	0.04	0.06	0.30	13.60	CID
WIO 2024	YDRK 205	Jinning	717551	7470724	31.42	49.64	1.62	0.08	0.03	0.04	1.44	BIF
WIO 2024	YDRK 206	Jinning	720042	7466488	47.45	10.57	9.15	0.07	0.05	0.40	11.14	CID
WIO 2024	YDRK 207	Jinning	720184	7466522	23.16	62.36	0.55	0.02	0.04	0.05	3.14	BIF
WIO 2024	YDRK 208	Jinning	720224	7466539	20.34	65.24	1.53	0.04	0.04	0.04	3.92	BIF
WIO 2024	YDRK 209	Jinning	724908	7468354	37.97	43.19	0.36	<0.02	<0.02	0.01	1.01	BIF
WIO 2024	YDRK 210	Jinning	717304	7470038	57.77	2.65	3.53	0.20	0.12	0.22	9.86	CID
WIO 2024	YDRK 211	Jinning	717208	7470162	50.41	7.25	5.42	0.17	0.17	0.60	13.41	CID
WIO 2024	YDRK 212	Jinning	717323	7469893	46.92	7.86	10.19	0.09	0.15	0.34	13.67	CID
WIO 2024	YDRK 213	Jinning	722935	7471925	33.58	45.90	1.07	0.06	0.04	0.03	4.19	BIF
WIO 2024	YDRK 214	Jinning	723079	7471779	34.00	44.51	1.64	0.07	0.05	0.06	4.96	BIF
WIO 2024	YDRK 215	Jinning	723385	7471833	18.46	63.12	4.59	0.04	0.10	1.62	3.60	CID
WIO 2024	YDRK 216	Jinning	723862	7471703	52.38	7.96	3.13	0.04	0.07	0.12	13.37	CID
WIO 2024	YDRK 217	Jinning	724427	7471507	54.59	13.37	3.54	0.05	0.04	0.19	4.50	CID

Company	Sample id	Laboratory	East	North	Fe %	SiO2 %	Al2O3 %	P %	S %	TiO2 %	LOI %	Description
WIO 2024	YDRK 218	Jinning	725136	7472057	19.10	70.25	0.74	<0.02	<0.02	0.02	1.54	BIF
WIO 2024	YDRK 219	Jinning	723672	7472971	40.88	38.73	0.75	0.03	0.04	0.07	1.69	BIF
WIO 2024	YDRK 220	Jinning	725450	7474383	31.53	53.42	0.26	0.10	<0.02	0.01	0.91	BID
WIO 2024	YDRK 221	Jinning	726677	7475021	59.76	3.06	4.38	0.07	0.13	0.76	5.64	CID
WIO 2024	YDRK 222	Jinning	726686	7475087	55.88	6.32	6.50	0.04	0.02	2.85	3.16	CID
WIO 2025	B1	Spectro	726575	7475029	58.16	7.82	4.91	0.047	0.036	0.860	2.21	CID
WIO 2025	B10	Spectro	726518	7474716	42.36	36.60	0.97	0.019	0.007	0.065	1.39	CID
WIO 2025	B2	Spectro	726516	7474972	59.64	6.79	2.40	0.046	0.028	0.335	4.94	CID
WIO 2025	B3	Spectro	726434	7474908	57.88	7.57	1.83	0.046	0.053	0.195	7.44	CID
WIO 2025	B4	Spectro	726463	7474773	36.47	44.60	1.02	0.014	0.067	0.021	1.23	CID
WIO 2025	B5	Spectro	726659	7474527	39.72	39.01	0.37	0.040	0.011	0.023	2.13	CID
WIO 2025	EX954	Spectro	726593	7475349	53.72	11.28	3.84	0.030	0.060	0.153	6.95	CID
WIO 2025	EX955	Spectro	726589	7475310	28.62	53.78	0.59	0.070	0.010	0.041	3.85	CID
WIO 2025	KNGC094663	Spectro	726616	7475293	37.78	44.89	0.21	0.070	0.020	0.014	1.19	CID
WIO 2025	YDRK223	Jinning	726056	7475577	16.05	74.27	0.80	0.06	<0.02	0.05	1.25	BIF
WIO 2025	YDRK224	Jinning	726017	7475568	30.13	56.85	0.26	0.04	<0.02	0.02	0.48	BIF
WIO 2025	YDRK225	Jinning	725976	7475554	39.37	42.17	1.14	0.03	<0.02	0.05	1.76	BIF
WIO 2025	YDRK226	Jinning	725907	7475523	37.63	45.67	0.30	0.05	<0.02	0.02	0.50	BIF
WIO 2025	YDRK227	Jinning	725846	7475491	36.58	46.56	0.65	0.02	0.03	0.03	0.65	BIF
WIO 2025	YDRK228	Jinning	726077	7475585	33.28	49.68	0.95	0.04	0.05	0.03	1.16	BIF
WIO 2025	YDRK229	Jinning	726165	7475605	34.99	45.40	1.75	0.05	0.05	0.07	4.17	BIF
WIO 2025	YDRK230	Jinning	726432	7475369	32.43	49.66	0.80	0.04	<0.02	0.02	1.56	BIF
WIO 2025	YDRK231	Jinning	726433	7475368	37.67	45.24	0.72	0.07	<0.02	0.02	1.09	BIF
WIO 2025	YDRK232	Jinning	726426	7475318	42.98	37.01	0.45	0.03	<0.02	0.02	0.70	BIF
WIO 2025	YDRK233	Jinning	726442	7475295	47.46	33.62	0.63	0.03	<0.02	0.02	0.68	BIF
WIO 2025	YDRK234	Jinning	726476	7475396	40.25	39.69	3.35	0.04	<0.02	0.03	2.13	BIF
WIO 2025	YDRK235	Jinning	724488	7474868	36.36	40.65	3.48	0.02	0.03	0.20	3.33	BIF
WIO 2025	YDRK236	Jinning	724474	7474859	34.77	48.68	1.27	0.02	<0.02	0.05	1.61	BIF

Company	Sample id	Laboratory	East	North	Fe %	SiO2 %	Al2O3 %	P %	S %	TiO2 %	LOI %	Description
WIO 2025	YDRK237	Jinning	724465	7474840	37.10	40.40	1.41	0.03	<0.02	0.14	4.46	BIF
WIO 2025	YDRK238	Jinning	724455	7474807	41.88	38.44	0.54	<0.02	<0.02	0.02	1.25	BIF
WIO 2025	YDRK239	Jinning	724497	7474887	25.90	61.67	0.75	<0.02	<0.02	0.02	0.73	BIF
WIO 2025	YDRK240	Jinning	724549	7474829	13.68	72.84	1.93	<0.02	0.04	0.09	1.48	BIF
WIO 2025	YDRK241	Jinning	724104	7474953	54.58	7.27	4.55	0.03	0.08	0.28	9.06	CID
WIO 2025	YDRK242	Jinning	724124	7474966	52.43	10.52	6.14	0.03	0.03	0.40	9.40	CID
WIO 2025	YDRK243	Jinning	724143	7474976	49.54	7.89	8.20	0.02	0.05	0.49	12.74	CID
WIO 2025	YDRK244	Jinning	724155	7474985	56.31	5.96	3.76	0.04	0.07	0.25	10.44	CID
WIO 2025	YDRK245	Jinning	724160	7475009	50.27	8.34	6.49	0.04	0.08	0.61	11.21	CID
WIO 2025	YDRK246	Jinning	724179	7475026	60.55	5.34	2.17	0.1	0.05	0.19	5.94	CID
WIO 2025	YDRK247	Jinning	724094	7475007	53.19	8.78	6.34	0.03	0.05	0.64	8.44	CID
WIO 2025	YDRK248	Jinning	724107	7475025	49.60	9.81	9.37	0.04	0.04	0.98	8.65	CID
WIO 2025	YDRK248B	Jinning	724126	7475037	58.30	5.15	3.77	0.1	0.03	0.43	7.59	CID
WIO 2025	YDRK249	Jinning	724149	7475034	57.01	6.90	4.51	0.08	0.05	0.41	7.57	CID
WIO 2025	YDRK250	Jinning	724097	7474927	57.24	6.39	3.92	0.03	0.06	0.33	9.24	CID
WIO 2025	YDRK251	Jinning	724112	7474936	55.81	7.40	4.20	0.03	0.05	0.40	8.64	CID
WIO 2025	YDRK252	Jinning	724129	7474951	58.14	6.20	3.01	0.02	0.11	0.30	8.19	CID
WIO 2025	YDRK253	Jinning	724148	7474961	55.08	9.73	6.03	0.04	0.05	0.53	6.68	CID
WIO 2025	YDRK254	Jinning	724165	7474972	56.61	6.70	5.45	0.08	0.05	0.48	7.07	CID
WIO 2025	YDRK255	Jinning	724177	7474991	60.26	3.75	3.30	0.12	0.05	0.53	6.37	CID
WIO 2025	YDRK256	Jinning	724202	7475019	59.89	4.04	3.30	0.1	0.08	0.46	6.57	CID
WIO 2025	YDRK257	Jinning	724099	7475059	60.78	2.73	1.41	0.13	0.1	0.12	9.07	CID
WIO 2025	YDRK258	Jinning	724119	7475045	56.18	6.19	5.19	0.1	0.06	0.47	8.34	CID
WIO 2025	YDRK259	Jinning	724140	7475033	55.45	5.97	5.69	0.1	0.06	0.45	9.28	CID
WIO 2025	YDRK260	Jinning	724102	7474880	53.15	15.89	2.08	0.12	0.08	0.15	8.68	CID
WIO 2025	YDRK261	Jinning	724120	7474891	59.07	3.90	1.18	0.09	0.05	0.04	11.41	CID
WIO 2025	YDRK262	Jinning	724137	7474902	56.61	3.97	2.49	0.19	0.03	0.15	11.19	CID
WIO 2025	YDRK263	Jinning	724154	7474916	60.18	4.19	0.82	0.08	0.04	0.04	8.47	CID

Company	Sample id	Laboratory	East	North	Fe %	SiO2 %	Al2O3 %	P %	S %	TiO2 %	LOI %	Description
WIO 2025	YDRK264	Jinning	724172	7474929	59.54	3.59	1.18	0.08	0.07	0.06	9.74	CID
WIO 2025	YDRK265	Jinning	724186	7474937	61.42	2.56	0.92	0.11	0.05	0.07	8.00	CID
WIO 2025	YDRK266	Jinning	724202	7474950	61.36	2.48	1.43	0.17	0.09	0.10	7.70	CID
WIO 2025	YDRK267	Jinning	724225	7474968	38.84	42.83	0.22	0.06	<0.02	0.02	1.67	BIF
WIO 2025	YDRK268	Jinning	724238	7474980	59.72	3.40	1.37	0.11	0.05	0.11	8.38	CID
WIO 2025	YDRK269	Jinning	724249	7474994	58.47	4.84	5.29	0.08	0.03	0.86	4.92	CID
WIO 2025	YDRK270	Jinning	724258	7475012	53.18	8.70	1.91	0.12	0.06	0.10	12.79	CID
WIO 2025	YDRK271	Jinning	724255	7475032	54.52	8.47	2.76	0.11	0.07	0.13	9.08	CID
WIO 2025	YDRK272	Jinning	724236	7475052	59.77	4.59	3.16	0.1	0.06	0.18	6.79	CID
WIO 2025	YDRK273	Jinning	724216	7475061	65.12	2.55	0.62	0.1	0.11	0.27	5.73	CID
WIO 2025	YDRK274	Jinning	724199	7475069	66.25	2.05	0.75	0.12	0.08	0.25	4.98	CID
WIO 2025	YDRK275	Jinning	724161	7475077	61.87	3.22	1.79	0.14	0.13	0.08	6.30	CID
WIO 2025	YDRK276	Jinning	724117	7475099	63.30	2.31	0.75	0.11	0.06	0.19	5.23	CID
WIO 2025	YDRK277	Jinning	726315	7474404	44.61	33.78	0.31	<0.02	<0.02	0.02	0.55	BIF
WIO 2025	YDRK278	Jinning	726308	7474423	34.47	48.06	0.33	0.03	<0.02	0.02	0.68	BIF
WIO 2025	YDRK279	Jinning	726303	7474447	44.75	18.91	3.22	0.08	0.11	0.37	11.72	BIF
WIO 2025	YDRK280	Jinning	726298	7474475	60.25	4.55	1.99	0.1	0.05	0.32	5.34	CID
WIO 2025	YDRK281	Jinning	726269	7474522	48.50	15.32	5.45	0.17	0.02	0.18	8.24	CID
WIO 2025	YDRK282	Jinning	726154	7472791	45.42	31.18	0.25	0.02	0.03	0.02	2.61	BIF
WIO 2025	YDRK283	Jinning	726157	7472822	39.35	38.87	0.49	0.07	0.03	0.03	2.60	BIF
WIO 2025	YDRK284	Jinning	726175	7472864	28.31	56.75	0.69	0.03	0.03	0.03	1.10	BIF
WIO 2025	YDRK285	Jinning	726189	7472896	23.91	61.33	0.12	0.08	0.02	<0.01	1.41	BIF
WIO 2025	YDRK286	Jinning	726201	7472938	34.82	43.01	0.11	0.07	0.02	<0.01	3.26	BIF
WIO 2025	YDRK287	Jinning	726228	7473083	27.73	55.28	0.98	0.03	0.02	0.05	2.03	BIF
WIO 2025	YDRK288	Jinning	724356	7467380	32.10	51.34	0.36	<0.02	<0.02	0.01	2.92	BIF
WIO 2025	YDRK289	Jinning	724331	7467403	39.60	40.69	0.27	0.02	0.02	0.01	1.07	BIF
WIO 2025	YDRK290	Jinning	724306	7467424	27.14	54.48	1.43	0.03	<0.02	0.04	3.82	BIF
WIO 2025	YDRK291	Jinning	724253	7467436	36.94	44.61	0.23	<0.02	<0.02	<0.01	1.09	BIF

Company	Sample id	Laboratory	East	North	Fe %	SiO2 %	Al2O3 %	P %	S %	TiO2 %	LOI %	Description
WIO 2025	YDRK292	Jinning	724202	7467452	32.78	47.38	0.39	<0.02	0.03	0.02	2.77	BIF
WIO 2025	YDRK293	Jinning	724133	7467474	39.44	52.00	0.36	<0.02	0.02	0.02	0.56	BIF
WIO 2025	YDRK294	Jinning	720808	7467859	15.82	54.09	9.71	<0.02	0.03	0.38	5.35	BIF
WIO 2025	YDRK295	Jinning	720840	7467915	33.87	43.56	3.12	<0.02	0.11	0.18	3.33	BIF
WIO 2025	YDRK296	Jinning	720870	7467771	18.44	52.98	10.13	0.02	0.03	0.38	2.99	BIF
WIO 2025	YDRK297	Jinning	718118	7469287	33.66	48.47	1.08	0.03	<0.02	0.04	2.43	BIF
WIO 2025	YDRK298	Jinning	718076	7469309	37.50	42.49	0.33	0.05	0.03	0.02	1.83	BIF
WIO 2025	YDRK299	Jinning	718028	7469327	39.27	40.58	0.42	0.04	0.02	0.02	1.59	BIF
WIO 2025	YDRK300	Jinning	717723	7469756	49.38	19.88	0.80	0.04	<0.02	0.06	9.32	BIF
WIO 2025	YDRK301	Jinning	717665	7469822	57.49	12.05	0.19	0.03	<0.02	<0.01	1.00	BIF
WIO 2025	YDRK302	Jinning	717626	7469849	23.59	60.14	0.33	<0.02	<0.02	0.02	3.98	BIF
WIO 2025	YDRK303	Jinning	717205	7470452	46.05	12.58	7.41	0.05	0.08	1.04	11.47	BIF
WIO 2025	YDRK304	Jinning	717219	7470418	51.79	8.35	6.70	0.06	0.06	0.47	10.49	CID
WIO 2025	YDRK305	Jinning	717200	7470383	50.45	10.93	5.70	0.08	0.03	0.72	8.82	CID
WIO 2025	YDRK306	Jinning	717177	7470342	53.40	5.86	7.22	0.05	0.05	0.70	9.15	CID
WIO 2025	YDRK307	Jinning	717274	7470347	49.03	11.58	5.40	0.12	0.09	0.33	11.18	CID
WIO 2025	YDRK308	Jinning	720102	7466637	54.35	5.06	4.22	0.07	0.07	0.15	11.51	BID
WIO 2025	YDRK309	Jinning	720099	7466647	55.44	3.04	4.03	0.06	0.13	0.18	12.69	BID
WIO 2025	YDRK310	Jinning	720093	7466666	51.75	9.06	5.05	0.02	0.13	0.20	11.58	BID
WIO 2025	YDRK311	Jinning	720081	7466683	54.33	4.31	3.46	0.04	0.16	0.07	12.72	BID
WIO 2025	YDRK312	Jinning	720078	7466712	29.54	53.27	0.74	0.03	0.03	0.02	3.50	BID
WIO 2025	YDRK313	Jinning	720045	7466671	53.90	3.94	3.10	0.06	0.13	0.04	13.44	BID
WIO 2025	YDRK314	Jinning	720079	7466594	53.28	11.31	2.50	0.09	0.14	0.07	9.46	BID
WIO 2025	YDRK315	Jinning	720105	7466538	53.90	7.20	4.87	0.1	0.11	0.18	10.16	BID
WIO 2025	YDRK316	Jinning	724713	7468198	45.86	28.25	1.12	0.35	0.07	0.05	2.34	BIF
WIO 2025	YDRK317	Jinning	724707	7468220	32.20	48.88	0.44	<0.02	0.02	0.03	1.04	BIF
WIO 2025	YDRK318	Jinning	724701	7468266	43.26	33.62	0.78	0.05	0.04	0.04	2.46	BIF
WIO 2025	YDRK319	Jinning	724686	7468284	34.80	45.63	0.09	0.03	<0.02	0.02	0.63	BIF

Company	Sample id	Laboratory	East	North	Fe %	SiO2 %	Al2O3 %	P %	S %	TiO2 %	LOI %	Description
WIO 2025	YDRK320	Jinning	717563	7470918	55.00	5.24	3.73	0.04	0.05	0.09	11.73	CID
WIO 2025	YDRK321	Jinning	717558	7470948	57.62	4.36	2.32	0.1	0.04	0.06	8.72	CID
WIO 2025	YDRK322	Jinning	717481	7470936	47.85	9.75	6.88	0.06	0.05	0.30	13.78	CID
WIO 2025	YDRK323	Jinning	717774	7470884	41.95	27.81	2.88	0.06	0.06	0.09	8.02	CID
WIO 2025	YDRK324	Jinning	718352	7471411	15.84	72.61	0.73	0.02	0.03	0.05	3.62	BIF
WIO 2025	YDRK325	Jinning	718369	7471382	45.41	29.75	0.68	<0.02	0.03	0.04	2.60	BIF
WIO 2025	YDRK326	Jinning	718387	7471320	32.47	50.11	0.24	<0.02	<0.02	0.02	1.24	BIF
WIO 2025	YDRK327	Jinning	718422	7471258	20.14	63.10	1.41	0.03	0.04	0.10	4.99	BIF
WIO 2025	YDRK328	Jinning	722337	7472056	36.77	40.44	1.05	0.06	0.03	0.04	3.86	BIF
WIO 2025	YDRK329	Jinning	722344	7472147	31.27	50.29	0.56	0.04	0.04	0.03	2.69	BIF
WIO 2025	YDRK330	Jinning	722343	7472160	33.44	48.93	0.55	<0.02	0.02	0.02	1.83	BIF
WIO 2025	YDRK331	Jinning	723548	7471696	24.32	55.16	2.72	0.02	0.07	0.18	6.78	BIF
WIO 2025	YDRK332	Jinning	723509	7471698	38.44	35.26	3.88	0.03	0.05	0.90	5.80	BIF
WIO 2025	YDRK333	Jinning	723770	7471709	39.62	33.24	2.88	0.05	0.07	0.53	5.86	BIF
WIO 2025	YDRK334	Jinning	724406	7471610	38.53	36.12	2.93	0.04	0.05	0.20	7.32	BIF
WIO 2025	YDRK335	Jinning	724361	7471618	42.45	24.68	5.77	0.05	0.07	0.54	8.43	BIF
WIO 2025	YDRK336	Jinning	724325	7471647	41.68	27.81	2.84	0.03	0.09	0.22	10.42	BIF
WIO 2025	YDRK337	Jinning	724310	7471684	39.62	30.48	2.39	0.04	0.04	0.26	10.32	BIF
WIO 2025	YDRK338	Jinning	724739	7472069	37.35	42.62	1.51	0.05	<0.02	0.06	2.72	BIF
WIO 2025	YDRK339	Jinning	724697	7472121	43.53	29.81	3.03	0.07	0.05	0.09	5.28	BIF
WIO 2025	YDRK340	Jinning	724794	7472115	34.10	45.52	1.64	0.05	0.02	0.05	4.53	BIF
WIO 2025	YDRK341	Jinning	724854	7472100	53.60	20.86	0.54	0.08	<0.02	0.03	1.62	BIF
WIO 2025	YDRK342	Jinning	723509	7473198	45.70	31.62	0.58	0.05	0.02	0.03	0.40	BIF
WIO 2025	YDRK343	Jinning	723512	7473243	40.82	40.72	0.10	0.04	<0.02	<0.01	<0.01	BIF
WIO 2025	YDRK344	Jinning	723565	7473261	44.53	31.59	0.28	0.04	<0.02	0.02	0.62	BIF
WIO 2025	YDRK345	Jinning	723606	7473228	44.28	34.73	0.38	0.03	<0.02	0.02	1.37	BIF
WIO 2025	YDRK346	Jinning	725276	7474707	38.45	41.76	0.73	0.03	<0.02	0.01	2.27	BIF
WIO 2025	YDRK347	Jinning	725311	7474721	36.37	46.38	0.35	0.05	<0.02	<0.01	0.55	BIF

Company	Sample id	Laboratory	East	North	Fe %	SiO2 %	Al2O3 %	P %	S %	TiO2 %	LOI %	Description
WIO 2025	YDRK348	Jinning	725326	7474677	36.86	44.20	0.60	0.1	<0.02	0.01	1.18	BIF
WIO 2025	YDRK349	Jinning	725416	7474707	42.07	38.42	0.39	0.05	<0.02	0.02	1.14	BIF
WIO 2025	YDRK350	Jinning	725360	7474558	38.16	43.67	0.17	0.03	<0.02	<0.01	0.42	BIF
WIO 2025	YDRK351	Jinning	725395	7474564	31.73	50.30	0.10	0.08	<0.02	<0.01	1.73	BIF
WIO 2025	YDRK352	Jinning	725310	7474544	42.92	38.37	0.13	0.05	<0.02	0.01	0.68	BIF
WIO 2025	YDRK353	Jinning	725262	7474553	39.49	43.20	0.35	0.03	<0.02	0.01	0.71	BIF
WIO 2025	YDRK354	Jinning	725214	7474556	39.46	44.94	0.33	0.04	<0.02	0.02	0.69	BIF
WIO 2025	YDRK355	Jinning	726712	7475044	51.23	10.67	6.48	0.04	0.1	1.06	7.80	CID
WIO 2025	YDRK356	Jinning	726728	7475065	54.31	9.90	4.80	0.04	0.06	0.82	7.06	CID
WIO 2025	YDRK357	Jinning	726728	7475006	49.32	9.28	10.36	0.07	0.1	1.05	6.70	CID
WIO 2025	YDRK358	Jinning	726629	7474974	59.99	3.65	2.76	0.06	0.12	0.48	7.42	CID
WIO 2025	YDRK359	Jinning	726638	7474911	48.05	12.77	9.00	0.04	0.04	1.16	7.72	CID
WIO 2025	YDRK360	Jinning	724639	7475016	55.34	4.97	4.57	0.06	0.1	0.14	7.39	CID
WIO 2025	YDRK361	Jinning	724663	7475057	43.87	34.94	0.95	0.03	<0.02	0.04	0.96	BIF
WIO 2025	YDRK362	Jinning	724670	7475095	34.96	47.57	0.62	0.03	<0.02	0.04	1.15	BIF

Appendix 2

Extension Iron Project: JORC Code, 2012 Edition – Table 1

Section 1: Sampling Techniques and Data – Yandi South Project

(Criteria in this section apply to all succeeding sections)

Criteria	JORC Code explanation	Commentary
Sampling techniques	- Nature and quality of sampling (e.g., cut channels, random chips or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as downhole gamma sondes or handheld XRF instruments, etc). - These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representation and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. - In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverized to produce a 30 g charge for fire assay'). - In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. - Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.	Reported Rock Chip Sampling: - Rock chip samples were collected from outcrop and are selective in nature and may not reflect average grades across the prospect. Samples were generally 1-3kg in size. - Samples were collected using a geological hammer with the sample placed into a unique calico bag with co-ordinates recorded. - The Competent Person (CP) considers that the sample techniques adopted were appropriate for the style of mineralisation and for reporting the Exploration Results.
Drilling techniques	Drill type (e.g., core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g., core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	No drilling undertaken
Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results is assessed. - Measures taken to maximise sample recovery and ensure the representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	No drilling undertaken
Logging	- Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. - Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. - The total length and percentage of the relevant intersections logged.	Reported Rock Chip Sampling: Samples were logged on a qualitative and quantitative basis. Rock chip samples were taken to provide an indication towards grade and deleterious element content.
Sub-sampling techniques and sample preparation	- If core, whether cut or sawn and whether quarter, half or all core taken. - If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. - For all sample types, the nature, quality and appropriateness of the sample preparation technique. - Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. - Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. - Whether sample sizes are appropriate to the grain size of the material being sampled.	Reported Rock Chip Sampling: - Rock chip samples were collected from surface exposures. - The sampling technique is appropriate as a first pass method to assess iron anomalism at the surface however it is unknown whether the rock chip sampling methods are fully representative of the outcrop. Furthermore, it is not known whether mineralisation extends at depth, drilling is required to confirm the nature and distribution of mineralisation. - No duplicate samples were taken due to the limited sampling completed. - The material and sample sizes are considered appropriate given the style of mineralisation being targeted.
Quality of assay data and laboratory tests	The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.	Reported Rock Chip Sampling: Rock chip samples were submitted to Spectrolab (Geraldton) and Jining Testing and Inspection (Maddington) in Western Australia.



	• For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. • Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	• Spectrolab samples were analysed by XRF for Fe, SiO₂, Al₂O₃, P, S, TiO₂ after preparation of a fused glass bead. Not all samples were assayed for the same suite of elements. • Loss on Ignition results were determined using a furnace set to 1,000 degrees Celsius. • Laboratory standards were used. No laboratory duplicate samples were analysed • Jinning sample were fused in a furnace (~650°C) with Sodium Peroxide in a nickel crucible. The melt is dissolved in dilute Hydrochloric acid and the solution analysed. The process provides complete dissolution of most minerals including silicates. Analyses are performed via ICP-OES and/or ICP-MS. • Loss on Ignition results were determined using a furnace set to 1,000 degrees Celsius. • Laboratory standards were used. No laboratory duplicate samples were analysed. • No geophysical instruments were utilised. • Due to the scale of the programme and early stage nature of the sampling only laboratory QAQC samples were utilised.
Verification of sampling and assaying	• The verification of significant intersections by either independent or alternative company personnel. • The use of twinned holes. • Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. • Discuss any adjustment to assay data.	Reported Rock Chip Sampling: • No drilling reported. • Data in relation to the samples was captured, validated and uploaded to Western iron Ore's database. • There have been no adjustments to data.
Location of data points	• Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. • Specifications of the grid system used. • Quality and adequacy of topographic control.	Reported Rock Chip Sampling: • Rock chip sample locations were located by handheld GPS. Expected accuracy is +/- 5m for northing and easting. • GDA94 Zone 50 datum was used as the coordinate system for field recording.
Data spacing and distribution	• Data spacing for reporting of Exploration Results. • Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. • Whether sample compositing has been applied.	Reported Rock Chip Sampling: • Rock chip sampling was conducted along outcropping surficial material and isn't on a regular grid. • Rock chip sampling is reconnaissance in nature and is not intended for utilisation within a mineral resource. • No samples have been composited.
Orientation of data in relation to geological structure	• Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. • If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	Reported Rock Chip Sampling: • Rock chip sample spacing, and orientation is considered suitable for regional geochemical exploration to define iron targets.
Sample security	• The measures taken to ensure sample security.	Reported Rock Chip Sampling: • Rock chip samples were taken by Western Iron Ore's consulting geologists. Samples were couriered to the laboratory.
Audits or reviews	• The results of any audits or reviews of sampling techniques and data.	• There is no record of any audits or reviews having been undertaken on the sampling data.

Section 2: Reporting of Exploration Results – Yandi South Project

(Criteria listed in the preceding section also apply to this section)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	The Yandi South Project consists of three granted Exploration Licenses, E47/3851, E47/3531. E47/4057 located about 100km northwest of Newman, Western Australia. The tenure has been held by Western iron Ore Pty Ltd for the previous 8 years. Macro has beneficial rights to the 3 licenses. The 3 granted Exploration Licenses are in good standing and there are no known impediments to obtaining a license to operate, subject to the standard application process.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	Historic exploration of relevance has been reviewed. Work completed within the tenure consists of rock chip sampling, reverse circulation and diamond core drilling.
Geology	Deposit type, geological setting and style of mineralisation.	Iron mineralisation is described as a channel iron deposits, similar to iron mines at the nearby BHP Yandi and RIO Yandicoogina sites.
Drill hole Information	- A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: - eastings and northings of the drill hole collar - elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar - dip and azimuth of the hole - down hole length and interception depth - hole length. - If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	No drilling undertaken as part of this announcement.
Data aggregation methods	- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. - Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. - The assumptions used for any reporting of metal equivalent values should be clearly stated.	No drilling undertaken as part of this announcement. No rock chip samples and assays have been composited or aggregated.
Relationship between mineralisation widths and intercept lengths	- These relationships are particularly important in the reporting of Exploration Results. - If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. - If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').	No drilling undertaken as part of this announcement. The rock chip results are point samples from outcropping material and no conclusion has been made as to what the true width or thickness might be.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	Refer to figures within the body of the release.
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	All results including those with no significant results have been reported.
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported, including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk	All exploration data material to these rock chip results has been included.

	density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	
Further work	• The nature and scale of planned further work (e.g tests for lateral extensions, depth extensions or large-scale step-out drilling). • Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	Field work to advance geological mapping and additional rock chip sampling. Drill permitting and finalising drill plans for testing of the exploration areas as required.