WIAGOLD

ASX:WIA

12 June 2025

Drilling continues to return significant high-grade mineralisation

Wia Gold Limited (ASX: WIA) (**Wia** or the **Company**) is pleased to report further positive assay results for thirty-six (36) Reverse Circulation (**RC**) drillholes and nine (9) diamond drillholes (**DD**), totalling 9,349 metres, aiming to upgrade inferred resources and support resource growth at the 2.12Moz[1] Kokoseb Gold Project (**Kokoseb**) in Namibia.

Highlights:

- **Deep diamond drilling successfully returns high-grade gold mineralisation under the MRE pit shell, including:**
  - **26m at 7.90 g/t Au from 444.0m, including 13.3m at 13.39 g/t Au in KDD055**
  - **10.5m at 16.72 g/t Au from 427.5m, including 2.0m at 84.68 g/t Au in KDD059**
- **Shallow Reverse circulation (RC) drilling at Central Zone near KRC331[2] positively extends this high-grade shoot with significant intercepts, including:**
  - **16m at 2.96 g/t Au from 198m, including 6m at 6.18 g/t Au in KRC389**
  - **28m at 3.44 g/t Au from 192m, including 8m at 8.40 g/t Au in KRC396**
- **Infill drilling for shallow resource conversion at NW and Northern Zones confirm the strong continuity in gold mineralisation, including the following intercepts:**
  - **21m at 1.50 g/t Au from 82.9m in KDD062**
  - **23m at 1.69 g/t Au from 208.0m in KDD063**
  - **45m at 1.13 g/t Au from 66m in KRC371**
  - **28m at 1.06 g/t Au from 127m in KRC373**
  - **20m at 1.13 g/t Au from 51m in KRC375**
- **None of the drilling results of the high-grade zone beneath the pit shell, the high-grade shoot (both in the Central Zone), or infill drilling at NW or Northern Zones, are included in the current Mineral Resource Estimate (MRE) – an updated MRE is expected in the coming weeks**
- **Drilling continues with one RC rig and three DD rigs at Kokoseb**

Commenting on the results, Wia Executive Chairman, Josef El-Raghy, said:

"Kokoseb continues to show consistency in gold mineralisation at depth and along strike, with some excellent results from within and outside of the current pit shell outline. The accelerated drilling programme, with three DD rigs targeting the high-grade shoots at depth, and one RC rig focussing on infill drilling to improve our understanding of the current 2.12m oz Au resource, is bearing fruit with results to be included in the updated MRE due in the next few weeks."

[1] Refer ASX announcement dated 16 April 2024 for further information on the Kokoseb MRE

[2] Refer ASX announcement dated 27 February 2025 for further information on the new shallow high-grade area



Figure 1 – Drill hole locations, focused at the northern area of Kokoseb, location of the cross sections of this announcement, and significant intercepts on drill holes reported in this announcement[3] (DD drillholes purple background, RC drillholes white background)

[3] Intercept calculated using 0.5 g/t cut-off grade and 2m maximum consecutive internal low grade.

Extension of the new shallow high-grade shoot at Central Zone

The latest drilling at the Central Zone has intersected the same high-grade shoot discovered in February 2025 (KRC331[4]), with hole **KRC396** returning **28m at 3.44 g/t Au, including 8m at 8.40 g/t Au**, approximately 50 metres south of a previous intercept. KRC331 intersected a shallow, high-grade zone with 27m at 6.79 g/t Au, interpreted as a splay off the main mineralised structure (Figure 2). Other latest drill holes completed in the same area have returned the following significant intercepts:

4.7m at 2.16 g/t Au from 229.7m in KDD060

16m at 2.96 g/t Au from 198m in KRC389, inc. 6m at 6.18 g/t Au

28m at 3.44 g/t Au from 192m in KRC396, inc. 8m at 8.40 g/t Au

7m at 2.42 g/t Au from 224m in KRC396

These drillholes intersected the main mineralised zone (upper zone), before reaching new mineralisation. Results from the upper intersections of the drillholes will contribute to the infill drilling programme, whilst the deeper intersections will contribute to expanding the resource base of Kokoseb. Main results from the upper zone include the following:

16.2m at 1.41 g/t Au from 152.6m in KDD060

17m at 1.03 g/t Au from 73m in KRC389

5m at 6.84 g/t Au from 101m in KRC389

27m at 1.34 g/t Au from 85m in KRC396

All results from the Central Zone for extending the main mineralised shoot will be included in the upcoming MRE update.



Figure 2 – Cross section including KRC396 (intercepts in black previously reported) [5]

[4] Refer ASX announcement dated 27 February 2025 for further information on the new shallow high-grade area

[5] Refer ASX announcements dated 11 April 2024, 20 August 2024, 28 October 2024 and 27 February 2025

Deep exploration diamond drilling returns significant high-grade gold mineralisation at Central Zone

Deep exploration diamond drilling continues to test for down plunge extensions of the known high-grade shoots at the Central Zone.

Latest diamond drill hole **KDD055** has returned **26.0m at 7.90 g/t Au** at 380m vertical depth, under the actual MRE (Figure 3), including a higher-grade portion of **13.3m at 13.39 g/t Au**. 200m south of **KDD055**, drill hole **KDD059** has intersected **10.5m at 16.72 g/t Au**, including **2.0m at 84.68 g/t Au**. These highly significant intercepts continue to confirm the depth potential at Kokoseb where mineralisation is fully open and showing continuity in high-grade shoots.

Other significant intercepts include the following:

26m at 7.90 g/t Au from 444.0m in KDD055, inc. 13.3m at 13.39 g/t Au

4m at 3.41 g/t Au from 357.2m in KDD056

6m at 3.83 g/t Au from 384.3m in KDD056

10.5m at 16.72 g/t Au from 427.5m in KDD059, inc. 2.0m at 84.68 g/t Au



Figure 3 – Cross section including KDD055 (intercepts in black previously reported) [6]

Shallow infill drilling delivers consistent results at NW and Northern Zones

Latest results from shallow infill drilling for resource category conversion are from the NW and Northern Zones of Kokoseb. These results confirm the solid continuity in shallow gold mineralisation and are consistent with the current MRE. Significant intercepts include:

[6] Refer ASX announcements dated 12 March 2024, 20 August 2024, and 27 February 2025.

45m at 1.13 g/t Au from 66m in KRC371

28m at 1.06 g/t Au from 127m in KRC373

20m at 1.13 g/t Au from 51m in KRC375

3m at 1.72 g/t Au from 77m in KRC376

3m at 1.39 g/t Au from 127m in KRC382

6m at 3.05 g/t Au from 147m in KRC384

4m at 1.35 g/t Au from 36m in KRC391

3m at 2.98 g/t Au from 43m in KRC391

11m at 1.03 g/t Au from 68m in KRC392

14m at 1.18 g/t Au from 66m in KRC394

A series of DD holes were also completed at shallow parts of Kokoseb, as infill drill holes, to be included in the updated MRE. Latest results from these diamond drill holes are located in the area of the NW Zone, except for **KDD057**, which is located at the Southern Zone. They returned the following significant intercepts:

13.9m at 5.23 g/t Au from 93.4m in KDD057 (drilled at Southern Zone)

21m at 1.50 g/t Au from 82.9m in KDD062

23m at 1.69 g/t Au from 208.0m in KDD063

This announcement has been authorised for release by the board of directors of Wia Gold Limited.

Contact details

Josef El-Raghy
Executive Chairman
+61 8 9420 8270

Bobby Morse/George Pope
Burson Buchanan
+44 20 7466 5000
wia@buchanancomms.co.uk

Competent Person's Statement

The information in this announcement that relates to exploration results at the Kokoseb Gold Deposit located on the Company's Damaran Gold Project is based on information compiled by Company geologists and reviewed by Mr Pierrick Couderc, in his capacity as Exploration Manager of Wia Gold Limited. Mr. Couderc is a member of both the Australian Institute of Mining and Metallurgy and the Australian Institute of Geoscientists and has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr. Couderc consents to the inclusion in the report of the matters based upon the information in the form and context in which it appears.

Reference to previous ASX Announcements

In relation to previously reported exploration results included in this announcement, the dates of which are referenced, the Company confirms that it is not aware of any new information or data that materially affects the information included in those announcements.

In relation to the information in this announcement that relates to the Mineral Resource Estimate for the Kokoseb Project that was first reported on 16 April 2024, other than subsequently released drilling results, WIA confirms that it is not aware of any new information or data that materially affects the information included in that release. All material assumptions and technical parameters underpinning the estimates in that ASX release continue to apply and have not materially changed.

About The Kokoseb Gold Deposit

The Kokoseb Gold Deposit is located in the north-west of Namibia, a country that is a well-recognised mining jurisdiction, with an established history as a significant producer of uranium, diamonds, gold and base metals. The Kokoseb gold deposit is situated 320km by road from the capital Windhoek.

Kokoseb lies in the Okombahe exploration licence, which is held under joint venture (Wia 80%) with the state-owed mining company Epangelo. The Okombahe licence is part of Wia's larger Damaran Project, which consist of 12 tenements with a total area of over 2,700km^2.

An updated Inferred Mineral Resource Estimate of 2.12Moz at 1.0 g/t Au, at a cut-off grade of 0.5 g/t Au, including a higher-grade gold portion of 1.53Moz at 1.4 g/t Au using a cut-off grade of 0.8 g/t Au, was announced on 16 April 2024 at a discovery cost of less than US$3/oz.

The location of Kokoseb and the Company's Namibian Projects is shown in Figure 4 below.



Figure 4 – Location of Wia's Namibia Projects

Cut-off Au g/t	Tonnes (Mt)	Au g/t	Au Moz
0.20	130	0.69	**2.88**
0.25	**115**	**0.75**	**2.77**
0.30	100	0.80	**2.57**
0.40	83	0.91	**2.43**
0.50	**66**	**1.0**	**2.12**
0.60	53	1.2	**2.04**
0.80	34	1.4	**1.53**
1.00	23	1.7	**1.26**

Table 1 – Kokoseb Inferred Mineral Resource estimates for selected cut-off grades. The estimates in this table are rounded to reflect their precision. They are based on drilling data available at 4 April 2024. The Competent Person responsible for the data informing the estimates is Pierrick Couderc, Wia Group Exploration Manager. The Competent Person responsible for resource modelling is Jonathon Abbott MAIG, Director of Matrix Resource Consultants Pty Ltd. The Resources are constrained by an optimised pit shell using a metal price of US$1,800/oz and process recovery of 92%.

Appendix 1. Kokoseb – Location of diamond and RC drillholes

Hole ID	Easting	Northing	RL	Length (m)	Dip (°)	Azi (°)
KDD055	525830	7660644	1071	531	-60	120
KDD056	525839	7660514	1072	435	-60	120
KDD057	525767	7658243	1053	201	-60	80
KDD058	526145	7660533	1076	201	-55	120
KDD059	525759	7660453	1071	552	-60	120
KDD060	526247	7660680	1077	522	-60	85
KDD061	526762	7660937	1080	237	-60	200
KDD062	526556	7660914	1077	150	-55	200
KDD063	526704	7661043	1079	291	-60	200
KRC371	526448	7660926	1077	150	-55	200
KRC372	526683	7660985	1080	221	-60	200
KRC373	526581	7660965	1078	198	-60	200
KRC374	526899	7660971	1079	270	-60	200
KRC375	526749	7660888	1079	133	-55	200
KRC376	526813	7660894	1079	195	-55	200
KRC377	526653	7660870	1078	111	-55	200
KRC378	526677	7660938	1079	180	-55	200
KRC379	526964	7660865	1077	197	-60	200
KRC380	526725	7660828	1078	136	-55	200
KRC381	526984	7660924	1078	260	-60	200
KRC382	527060	7660841	1078	195	-60	200
KRC383	526840	7660790	1077	103	-55	200
KRC384	526874	7660903	1079	200	-60	200
KRC385	527103	7660808	1079	180	-60	200
KRC386	527214	7660682	1077	135	-55	200
KRC387	526859	7660843	1078	148	-55	200
KRC388	527118	7660709	1077	107	-55	200
KRC389	526318	7660680	1078	310	-60	120
KRC390	527145	7660771	1079	159	-55	200
KRC391	526930	7660760	1075	97	-55	200
KRC392	526986	7660782	1075	125	-55	200
KRC393	527154	7660798	1080	200	-60	200
KRC394	526950	7660819	1075	152	-55	200
KRC395	527176	7660722	1078	125	-55	200
KRC396	526266	7660656	1078	313	-60	120
KRC397	527023	7660737	1076	91	-55	200
KRC398	527251	7660778	1078	213	-60	200
KRC399	527043	7660801	1077	180	-55	200
KRC400	527236	7660732	1078	175	-55	200
KRC401	527286	7660728	1077	180	-60	200
KRC402	527251	7660636	1076	70	-55	200
KRC403	527329	7660696	1075	197	-55	200
KRC404	527305	7660643	1075	122	-55	200
KRC405	526908	7660725	1075	185	-55	200
KRC406	527346	7660735	1075	216	-60	200

Appendix 2. Diamond and RC drill holes gold assays, using a cut-off grade of 0.2 g/t gold and max 2m consecutive internal waste material

Hole ID	From (m)	To (m)	Gold g/t
KDD055	371.0	372.0	0.500
KDD055	372.0	373.0	0.762
KDD055	373.0	374.0	0.470
KDD055	374.0	375.0	0.241
KDD055	375.0	376.0	0.022
KDD055	376.0	377.0	0.070
KDD055	377.0	378.0	0.404
KDD055	385.0	386.0	0.274
KDD055	386.0	387.0	0.104
KDD055	387.0	388.0	0.312
KDD055	388.0	389.0	0.434
KDD055	428.0	429.0	5.240
KDD055	429.0	430.0	0.096
KDD055	430.0	431.0	0.716
KDD055	431.0	432.0	0.730
KDD055	432.0	433.0	0.042
KDD055	433.0	434.0	0.214
KDD055	434.0	435.0	0.395
KDD055	435.0	436.0	0.599
KDD055	436.0	437.0	0.167
KDD055	437.0	438.0	0.533
KDD055	438.0	439.0	0.504
KDD055	439.0	440.0	0.832
KDD055	440.0	441.0	1.255
KDD055	444.0	445.0	1.215
KDD055	445.0	446.0	7.220
KDD055	446.0	446.7	2.700
KDD055	446.7	447.3	41.400
KDD055	447.3	448.0	22.600
KDD055	448.0	449.0	20.300
KDD055	449.0	450.0	21.300
KDD055	450.0	451.0	4.000
KDD055	451.0	452.0	4.590
KDD055	452.0	453.0	4.090
KDD055	453.0	453.7	4.900
KDD055	453.7	454.7	4.140
KDD055	454.7	455.7	4.900
KDD055	455.7	456.3	5.530
KDD055	456.3	457.3	10.150
KDD055	457.3	458.0	24.100
KDD055	458.0	459.0	4.550
KDD055	459.0	460.0	34.500
KDD055	460.0	461.0	1.510
KDD055	461.0	462.0	1.525
KDD055	462.0	462.6	0.474
KDD055	462.6	463.2	0.248
KDD055	463.2	464.0	0.710
KDD055	464.0	465.0	7.350
KDD055	465.0	466.0	0.978
KDD055	466.0	467.0	0.367
KDD055	467.0	468.0	0.838
KDD055	468.0	469.0	1.010
KDD055	469.0	470.0	2.480
KDD055	470.0	471.0	0.105
KDD055	471.0	472.0	0.433
KDD055	495.0	496.0	0.622
KDD055	496.0	497.0	0.441

Hole ID	From (m)	To (m)	Gold g/t
KDD055	497.0	498.0	0.597
KDD055	498.0	499.0	0.055
KDD055	499.0	500.0	0.035
KDD055	500.0	501.0	0.268
KDD056	300.7	301.7	0.308
KDD056	301.7	302.7	0.196
KDD056	302.7	303.7	0.116
KDD056	303.7	304.7	0.346
KDD056	304.7	305.7	0.688
KDD056	305.7	306.7	0.697
KDD056	357.2	358.2	8.380
KDD056	358.2	359.2	0.850
KDD056	359.2	360.2	2.230
KDD056	360.2	361.2	2.160
KDD056	363.8	364.3	0.226
KDD056	364.3	366.0	0.010
KDD056	366.0	366.5	0.008
KDD056	366.5	367.5	0.311
KDD056	367.5	368.5	0.080
KDD056	368.5	369.5	0.206
KDD056	369.5	370.0	0.250
KDD056	370.0	370.8	0.003
KDD056	370.8	371.8	0.275
KDD056	371.8	372.8	0.533
KDD056	372.8	373.8	0.281
KDD056	373.8	374.8	0.672
KDD056	374.8	375.8	1.175
KDD056	379.3	380.3	1.275
KDD056	380.3	381.3	1.300
KDD056	381.3	382.3	0.240
KDD056	382.3	383.3	0.017
KDD056	383.3	384.3	0.219
KDD056	384.3	385.3	0.744
KDD056	385.3	386.3	13.750
KDD056	386.3	387.3	0.262
KDD056	387.3	388.3	3.760
KDD056	388.3	389.3	0.450
KDD056	389.3	390.3	3.990
KDD056	390.3	391.1	0.332
KDD056	391.1	392.3	0.005
KDD056	392.3	392.8	0.062
KDD056	392.8	393.3	0.444
KDD056	393.3	394.0	0.230
KDD056	394.0	395.0	31.400
KDD056	395.0	396.0	3.230
KDD056	396.0	397.0	0.306
KDD056	397.0	397.8	0.340
KDD056	397.8	398.3	0.416
KDD057	54.9	55.4	0.202
KDD057	55.4	56.4	0.149
KDD057	56.4	57.4	0.289
KDD057	57.4	58.4	0.313
KDD057	80.4	81.4	0.644
KDD057	81.4	82.4	0.461
KDD057	82.4	83.4	2.320
KDD057	83.4	84.4	0.449
KDD057	84.4	85.4	1.425

Hole ID	From (m)	To (m)	Gold g/t
KDD057	85.4	86.4	0.604
KDD057	86.4	87.4	0.288
KDD057	87.4	88.4	0.476
KDD057	88.4	89.4	0.212
KDD057	89.4	90.4	0.098
KDD057	90.4	91.4	0.082
KDD057	91.4	92.4	0.247
KDD057	92.4	93.4	0.354
KDD057	93.4	94.3	0.756
KDD057	94.3	95.3	0.075
KDD057	95.3	96.3	0.396
KDD057	96.3	97.3	0.590
KDD057	97.3	98.3	0.458
KDD057	98.3	99.3	3.120
KDD057	99.3	100.3	7.300
KDD057	100.3	101.3	0.359
KDD057	101.3	102.3	2.960
KDD057	102.3	103.3	4.680
KDD057	103.3	104.3	42.700
KDD057	104.3	105.3	5.000
KDD057	105.3	106.3	3.070
KDD057	106.3	107.3	1.205
KDD057	107.3	108.3	0.140
KDD057	108.3	109.3	0.123
KDD057	109.3	110.3	0.486
KDD057	110.3	111.3	0.639
KDD057	111.3	112.3	0.574
KDD057	112.3	113.3	0.312
KDD057	113.3	114.3	0.023
KDD057	114.3	115.3	1.125
KDD057	126.3	127.3	0.237
KDD057	127.3	128.3	0.054
KDD057	128.3	129.3	0.311
KDD057	129.3	130.3	0.655
KDD057	130.3	131.3	0.490
KDD057	131.3	132.3	1.185
KDD057	132.3	133.4	0.303
KDD057	142.4	143.4	0.230
KDD057	143.4	144.4	0.171
KDD057	144.4	145.4	0.743
KDD057	145.4	146.4	0.201
KDD058	110.0	111.0	0.365
KDD058	111.0	112.0	0.107
KDD058	112.0	113.0	0.268
KDD058	113.0	114.0	0.538
KDD058	114.0	115.0	0.395
KDD058	115.0	116.0	0.327
KDD058	116.0	117.0	0.105
KDD058	117.0	118.0	0.439
KDD058	122.0	123.0	0.645
KDD058	123.0	124.0	0.055
KDD058	124.0	125.0	0.087
KDD058	125.0	126.0	0.408
KDD058	126.0	127.0	1.790
KDD058	146.7	147.7	0.295
KDD058	147.7	148.7	1.715
KDD058	148.7	149.7	2.330
KDD058	149.7	150.7	0.467
KDD058	150.7	151.7	1.330
KDD058	151.7	152.7	5.100

Hole ID	From (m)	To (m)	Gold g/t
KDD058	152.7	153.7	2.030
KDD058	153.7	154.4	0.490
KDD058	154.4	154.9	0.475
KDD058	154.9	156.9	0.016
KDD058	156.9	157.9	0.269
KDD058	157.9	159.9	0.003
KDD058	159.9	161.7	0.003
KDD058	161.7	162.7	0.636
KDD059	336.4	337.0	0.283
KDD059	337.0	338.0	0.030
KDD059	338.0	339.0	0.405
KDD059	339.0	340.0	0.291
KDD059	340.0	341.0	0.035
KDD059	341.0	342.0	0.498
KDD059	342.0	343.0	0.090
KDD059	343.0	344.0	0.099
KDD059	344.0	345.0	0.216
KDD059	348.0	349.0	0.324
KDD059	349.0	350.0	0.039
KDD059	350.0	351.0	0.012
KDD059	351.0	352.0	1.005
KDD059	383.5	384.5	0.207
KDD059	384.5	385.5	0.155
KDD059	385.5	386.5	0.252
KDD059	408.0	409.0	0.296
KDD059	409.0	410.0	1.880
KDD059	410.0	411.0	1.355
KDD059	425.0	426.0	0.493
KDD059	426.0	427.0	0.196
KDD059	427.0	427.5	0.106
KDD059	427.5	428.2	0.700
KDD059	428.2	429.0	1.140
KDD059	429.0	430.0	1.495
KDD059	430.0	431.0	1.060
KDD059	431.0	432.0	0.110
KDD059	432.0	433.0	0.540
KDD059	433.0	434.0	0.516
KDD059	434.0	435.0	0.234
KDD059	435.0	436.0	0.417
KDD059	436.0	436.6	22.900
KDD059	436.6	437.2	8.580
KDD059	437.2	438.0	190.000
KDD060	112.7	113.7	0.605
KDD060	113.7	114.7	0.316
KDD060	114.7	115.5	0.282
KDD060	118.5	119.5	0.320
KDD060	119.5	120.5	0.581
KDD060	120.5	121.5	0.366
KDD060	121.5	122.3	0.131
KDD060	122.3	123.3	0.213
KDD060	123.3	124.3	0.351
KDD060	130.7	131.7	0.923
KDD060	131.7	132.7	0.089
KDD060	132.7	133.7	0.225
KDD060	133.7	134.7	0.360
KDD060	134.7	135.7	0.583
KDD060	138.7	139.7	0.979
KDD060	139.7	141.4	0.083
KDD060	141.4	142.4	0.216
KDD060	142.4	143.4	2.080

Hole ID	From (m)	To (m)	Gold g/t
KDD060	143.4	144.4	0.678
KDD060	144.4	145.4	0.146
KDD060	145.4	146.4	2.890
KDD060	146.4	147.1	0.622
KDD060	147.1	147.6	0.057
KDD060	147.6	148.6	0.334
KDD060	148.6	149.6	0.608
KDD060	149.6	150.5	0.341
KDD060	150.5	152.0	0.021
KDD060	152.0	152.6	0.005
KDD060	152.6	153.6	2.560
KDD060	153.6	154.6	1.095
KDD060	154.6	155.1	1.535
KDD060	155.1	156.1	1.155
KDD060	156.1	157.1	1.260
KDD060	157.1	158.1	1.525
KDD060	158.1	159.1	0.520
KDD060	159.1	160.1	0.248
KDD060	160.1	161.1	3.930
KDD060	161.1	162.1	6.140
KDD060	162.1	163.1	0.295
KDD060	163.1	164.1	0.366
KDD060	164.1	164.7	1.410
KDD060	164.7	165.7	0.404
KDD060	165.7	166.5	1.050
KDD060	166.5	167.0	0.255
KDD060	167.0	167.8	0.025
KDD060	167.8	168.8	0.795
KDD060	168.8	169.8	0.215
KDD060	169.8	170.8	0.351
KDD060	170.8	171.8	0.238
KDD060	171.8	172.8	0.725
KDD060	172.8	173.8	0.325
KDD060	173.8	174.8	0.465
KDD060	217.7	218.7	0.279
KDD060	218.7	220.7	0.022
KDD060	220.7	221.8	0.007
KDD060	221.8	222.8	0.275
KDD060	222.8	223.6	1.015
KDD060	223.6	224.2	0.103
KDD060	224.2	225.0	1.090
KDD060	229.7	230.2	6.270
KDD060	230.2	231.2	1.260
KDD060	231.2	231.9	0.132
KDD060	231.9	232.4	0.008
KDD060	232.4	233.4	5.010
KDD060	233.4	234.4	0.638
KDD060	377.7	378.7	0.212
KDD060	378.7	379.7	0.013
KDD060	379.7	380.7	0.008
KDD060	380.7	381.7	1.995
KDD060	381.7	382.7	0.030
KDD060	382.7	383.7	0.114
KDD060	383.7	384.7	0.244
KDD060	384.7	385.7	0.177
KDD060	385.7	386.7	0.239
KDD061	112.0	113.0	0.395
KDD061	113.0	114.0	0.407
KDD061	114.0	115.0	0.361
KDD061	115.0	116.0	1.160

Hole ID	From (m)	To (m)	Gold g/t
KDD061	116.0	117.0	0.851
KDD061	117.0	118.0	0.650
KDD061	118.0	119.1	1.455
KDD061	127.4	128.4	0.565
KDD061	128.4	129.4	0.873
KDD061	129.4	130.4	0.937
KDD061	130.4	131.4	0.493
KDD061	131.4	132.4	1.115
KDD061	132.4	132.9	0.383
KDD061	132.9	133.8	0.007
KDD061	133.8	134.8	0.339
KDD061	134.8	135.8	0.648
KDD061	135.8	136.8	0.408
KDD061	136.8	137.6	0.475
KDD061	137.6	139.0	0.052
KDD061	139.0	140.0	0.294
KDD061	140.0	141.0	0.409
KDD061	141.0	142.0	0.095
KDD061	142.0	143.0	0.253
KDD061	143.0	144.0	0.209
KDD061	144.0	145.0	0.339
KDD061	145.0	146.0	0.467
KDD061	146.0	147.0	0.453
KDD061	147.0	148.0	0.389
KDD061	163.0	164.0	0.420
KDD061	164.0	165.0	0.231
KDD061	165.0	166.0	0.037
KDD061	166.0	167.0	0.552
KDD062	68.0	69.0	0.260
KDD062	69.0	70.0	0.505
KDD062	70.0	71.0	0.223
KDD062	71.0	72.0	1.130
KDD062	72.0	73.0	0.313
KDD062	73.0	73.9	0.323
KDD062	73.9	74.9	0.678
KDD062	74.9	75.9	0.398
KDD062	75.9	76.9	0.610
KDD062	76.9	77.9	0.164
KDD062	77.9	78.9	0.133
KDD062	78.9	79.9	0.673
KDD062	79.9	80.9	0.272
KDD062	80.9	81.9	0.291
KDD062	81.9	82.9	0.373
KDD062	82.9	83.9	2.410
KDD062	83.9	84.9	4.030
KDD062	84.9	85.9	1.180
KDD062	85.9	86.9	1.585
KDD062	86.9	87.9	1.245
KDD062	87.9	88.9	2.080
KDD062	88.9	89.9	1.145
KDD062	89.9	90.9	2.020
KDD062	90.9	91.9	1.525
KDD062	91.9	92.9	1.195
KDD062	92.9	93.9	0.584
KDD062	93.9	94.9	7.110
KDD062	94.9	95.9	0.121
KDD062	95.9	96.9	1.240
KDD062	96.9	97.9	0.964
KDD062	97.9	98.9	0.437
KDD062	98.9	99.9	0.381

Hole ID	From (m)	To (m)	Gold g/t
KDD062	99.9	100.9	0.772
KDD062	100.9	101.9	0.365
KDD062	101.9	102.9	0.575
KDD062	102.9	103.9	0.537
KDD062	103.9	104.9	0.216
KDD063	193.0	194.0	0.216
KDD063	194.0	195.0	0.159
KDD063	195.0	196.0	0.346
KDD063	196.0	197.0	0.220
KDD063	197.0	198.0	0.439
KDD063	198.0	199.0	0.199
KDD063	199.0	200.0	0.304
KDD063	200.0	201.0	1.090
KDD063	201.0	202.0	0.491
KDD063	202.0	203.0	0.785
KDD063	203.0	204.0	0.154
KDD063	204.0	205.0	0.724
KDD063	208.0	209.0	0.643
KDD063	209.0	210.0	0.052
KDD063	210.0	211.0	0.797
KDD063	211.0	212.0	3.400
KDD063	212.0	213.0	2.280
KDD063	213.0	214.0	0.752
KDD063	214.0	215.0	0.433
KDD063	215.0	216.0	0.785
KDD063	216.0	217.0	0.814
KDD063	217.0	218.0	1.010
KDD063	218.0	219.0	0.889
KDD063	219.0	220.0	1.960
KDD063	220.0	221.0	0.882
KDD063	221.0	222.0	0.531
KDD063	222.0	223.0	1.055
KDD063	223.0	224.0	1.675
KDD063	224.0	225.0	3.650
KDD063	225.0	226.0	3.530
KDD063	226.0	227.0	2.390
KDD063	227.0	228.0	8.110
KDD063	228.0	229.0	0.884
KDD063	229.0	230.0	1.860
KDD063	230.0	231.0	0.585
KDD063	231.0	232.0	0.453
KDD063	232.0	233.0	0.174
KDD063	233.0	234.0	0.098
KDD063	234.0	235.0	0.640
KDD063	235.0	236.0	0.841
KDD063	236.0	237.0	0.497
KDD063	237.0	238.0	0.262
KDD063	238.0	239.0	0.221
KDD063	239.0	240.0	0.125
KDD063	240.0	241.0	0.616
KDD063	241.0	242.0	1.715
KDD063	242.0	243.0	10.100
KDD063	243.0	244.0	0.151
KDD063	244.0	245.0	0.072
KDD063	245.0	246.0	0.201
KDD063	249.0	250.0	1.295
KDD063	250.0	251.0	2.760
KDD063	251.0	252.0	2.020
KDD063	252.0	253.0	0.392
KDD063	253.0	254.0	0.402

Hole ID	From (m)	To (m)	Gold g/t
KDD063	254.0	255.0	0.266
KDD063	255.0	256.0	1.540
KDD063	256.0	257.0	0.101
KDD063	257.0	258.0	0.057
KDD063	258.0	259.0	0.636
KDD063	259.0	260.0	1.000
KDD063	260.0	261.0	0.351
KDD063	261.0	262.0	0.266
KDD063	262.0	263.0	3.480
KDD063	263.0	264.0	0.172
KDD063	264.0	265.0	0.349
KDD063	265.0	266.0	0.253
KDD063	266.0	267.0	0.133
KDD063	267.0	268.0	10.200
KRC371	55.0	56.0	0.245
KRC371	56.0	57.0	0.419
KRC371	57.0	58.0	0.534
KRC371	58.0	59.0	0.168
KRC371	59.0	60.0	0.558
KRC371	60.0	61.0	1.215
KRC371	61.0	62.0	0.262
KRC371	62.0	63.0	0.066
KRC371	63.0	64.0	0.009
KRC371	64.0	65.0	0.472
KRC371	65.0	66.0	0.448
KRC371	66.0	67.0	2.550
KRC371	67.0	68.0	0.323
KRC371	68.0	69.0	1.780
KRC371	69.0	70.0	0.684
KRC371	70.0	71.0	1.290
KRC371	71.0	72.0	0.138
KRC371	72.0	73.0	0.560
KRC371	73.0	74.0	0.692
KRC371	74.0	75.0	0.761
KRC371	75.0	76.0	2.760
KRC371	76.0	77.0	3.150
KRC371	77.0	78.0	0.542
KRC371	78.0	79.0	1.455
KRC371	79.0	80.0	1.775
KRC371	80.0	81.0	0.041
KRC371	81.0	82.0	0.729
KRC371	82.0	83.0	1.075
KRC371	83.0	84.0	1.860
KRC371	84.0	85.0	1.375
KRC371	85.0	86.0	2.150
KRC371	86.0	87.0	1.380
KRC371	87.0	88.0	0.893
KRC371	88.0	89.0	1.070
KRC371	89.0	90.0	0.707
KRC371	90.0	91.0	1.850
KRC371	91.0	92.0	1.645
KRC371	92.0	93.0	0.352
KRC371	93.0	94.0	1.245
KRC371	94.0	95.0	0.942
KRC371	95.0	96.0	0.342
KRC371	96.0	97.0	0.865
KRC371	97.0	98.0	0.799
KRC371	98.0	99.0	0.854
KRC371	99.0	100.0	0.642
KRC371	100.0	101.0	0.325

Hole ID	From (m)	To (m)	Gold g/t
KRC371	101.0	102.0	2.010
KRC371	102.0	103.0	2.860
KRC371	103.0	104.0	0.570
KRC371	104.0	105.0	0.810
KRC371	105.0	106.0	0.342
KRC371	106.0	107.0	0.587
KRC371	107.0	108.0	2.920
KRC371	108.0	109.0	0.418
KRC371	109.0	110.0	0.094
KRC371	110.0	111.0	0.680
KRC371	111.0	112.0	0.452
KRC371	112.0	113.0	0.310
KRC371	113.0	114.0	0.339
KRC371	114.0	115.0	1.115
KRC371	115.0	116.0	0.905
KRC371	116.0	117.0	1.290
KRC371	117.0	118.0	0.158
KRC371	118.0	119.0	0.268
KRC371	119.0	120.0	0.265
KRC371	120.0	121.0	0.531
KRC371	121.0	122.0	0.187
KRC371	122.0	123.0	0.752
KRC372	133.0	134.0	0.813
KRC372	134.0	135.0	0.320
KRC372	135.0	136.0	0.019
KRC372	136.0	137.0	0.554
KRC372	137.0	138.0	1.125
KRC372	138.0	139.0	0.357
KRC372	139.0	140.0	0.597
KRC372	140.0	141.0	0.732
KRC372	141.0	142.0	0.319
KRC372	142.0	143.0	0.375
KRC372	143.0	144.0	0.165
KRC372	144.0	145.0	0.399
KRC372	145.0	146.0	0.256
KRC372	154.0	155.0	0.487
KRC372	155.0	156.0	0.716
KRC372	156.0	157.0	1.085
KRC372	157.0	158.0	0.861
KRC372	158.0	159.0	1.120
KRC372	159.0	160.0	1.015
KRC372	160.0	161.0	0.858
KRC372	161.0	162.0	0.434
KRC372	162.0	163.0	0.371
KRC372	173.0	174.0	0.461
KRC372	174.0	175.0	0.342
KRC372	175.0	176.0	0.517
KRC372	176.0	177.0	0.828
KRC372	177.0	178.0	0.117
KRC372	178.0	179.0	0.134
KRC372	179.0	180.0	0.514
KRC372	180.0	181.0	0.317
KRC372	181.0	182.0	0.589
KRC372	182.0	183.0	0.786
KRC372	183.0	184.0	0.111
KRC372	184.0	185.0	0.107
KRC372	185.0	186.0	0.389
KRC372	186.0	187.0	0.365
KRC372	187.0	188.0	0.245
KRC372	188.0	189.0	0.110

Hole ID	From (m)	To (m)	Gold g/t
KRC372	189.0	190.0	0.446
KRC372	190.0	191.0	0.536
KRC372	191.0	192.0	1.025
KRC372	192.0	193.0	0.105
KRC372	193.0	194.0	0.615
KRC372	194.0	195.0	0.294
KRC372	195.0	196.0	0.234
KRC372	196.0	197.0	0.354
KRC372	197.0	198.0	0.549
KRC372	198.0	199.0	0.244
KRC372	199.0	200.0	0.587
KRC372	200.0	201.0	0.351
KRC372	201.0	202.0	0.316
KRC372	202.0	203.0	1.230
KRC372	203.0	204.0	1.400
KRC373	121.0	122.0	0.361
KRC373	122.0	123.0	0.290
KRC373	123.0	124.0	0.171
KRC373	124.0	125.0	0.492
KRC373	125.0	126.0	0.178
KRC373	126.0	127.0	0.106
KRC373	127.0	128.0	0.704
KRC373	128.0	129.0	0.581
KRC373	129.0	130.0	0.475
KRC373	130.0	131.0	1.470
KRC373	131.0	132.0	0.514
KRC373	132.0	133.0	0.264
KRC373	133.0	134.0	0.434
KRC373	134.0	135.0	0.664
KRC373	135.0	136.0	0.810
KRC373	136.0	137.0	1.535
KRC373	137.0	138.0	0.743
KRC373	138.0	139.0	0.795
KRC373	139.0	140.0	1.005
KRC373	140.0	141.0	1.490
KRC373	141.0	142.0	1.855
KRC373	142.0	143.0	1.220
KRC373	143.0	144.0	1.600
KRC373	144.0	145.0	1.665
KRC373	145.0	146.0	2.160
KRC373	146.0	147.0	1.015
KRC373	147.0	148.0	2.420
KRC373	148.0	149.0	1.945
KRC373	149.0	150.0	0.781
KRC373	150.0	151.0	0.436
KRC373	151.0	152.0	0.587
KRC373	152.0	153.0	1.155
KRC373	153.0	154.0	0.764
KRC373	154.0	155.0	0.587
KRC373	155.0	156.0	0.342
KRC373	156.0	157.0	0.269
KRC373	157.0	158.0	0.488
KRC373	158.0	159.0	0.358
KRC373	159.0	160.0	0.431
KRC373	160.0	161.0	0.499
KRC373	161.0	162.0	0.267
KRC373	162.0	163.0	0.313
KRC374	185.0	186.0	0.200
KRC374	186.0	187.0	0.204
KRC374	187.0	188.0	0.304

Hole ID	From (m)	To (m)	Gold g/t
KRC374	188.0	189.0	0.172
KRC374	189.0	190.0	0.337
KRC374	190.0	191.0	0.883
KRC374	191.0	192.0	0.354
KRC374	192.0	193.0	0.221
KRC374	193.0	194.0	1.085
KRC374	194.0	195.0	0.222
KRC374	195.0	196.0	0.131
KRC374	196.0	197.0	0.129
KRC374	197.0	198.0	0.258
KRC374	198.0	199.0	1.785
KRC374	199.0	200.0	0.606
KRC374	200.0	201.0	0.356
KRC374	201.0	202.0	0.204
KRC374	202.0	203.0	0.470
KRC374	203.0	204.0	1.255
KRC374	204.0	205.0	3.010
KRC374	205.0	206.0	0.304
KRC374	206.0	207.0	0.706
KRC374	207.0	208.0	0.689
KRC374	208.0	209.0	0.286
KRC374	212.0	213.0	0.728
KRC374	213.0	214.0	0.328
KRC374	214.0	215.0	0.755
KRC374	215.0	216.0	0.706
KRC374	216.0	217.0	0.418
KRC374	217.0	218.0	0.752
KRC374	218.0	219.0	0.258
KRC374	219.0	220.0	0.416
KRC374	220.0	221.0	0.157
KRC374	221.0	222.0	0.541
KRC374	222.0	223.0	0.485
KRC374	223.0	224.0	0.269
KRC374	224.0	225.0	1.830
KRC374	225.0	226.0	0.144
KRC374	226.0	227.0	0.153
KRC374	227.0	228.0	1.745
KRC374	228.0	229.0	0.263
KRC374	229.0	230.0	1.130
KRC374	239.0	240.0	0.236
KRC374	240.0	241.0	0.026
KRC374	241.0	242.0	0.052
KRC374	242.0	243.0	0.370
KRC374	243.0	244.0	0.240
KRC375	51.0	52.0	0.767
KRC375	52.0	53.0	0.278
KRC375	53.0	54.0	3.610
KRC375	54.0	55.0	0.727
KRC375	55.0	56.0	0.426
KRC375	56.0	57.0	0.858
KRC375	57.0	58.0	0.090
KRC375	58.0	59.0	0.489
KRC375	59.0	60.0	1.700
KRC375	60.0	61.0	0.591
KRC375	61.0	62.0	5.810
KRC375	62.0	63.0	1.015
KRC375	63.0	64.0	0.145
KRC375	64.0	65.0	2.060
KRC375	65.0	66.0	1.220
KRC375	66.0	67.0	0.134

Hole ID	From (m)	To (m)	Gold g/t
KRC375	67.0	68.0	0.216
KRC375	68.0	69.0	0.785
KRC375	69.0	70.0	0.652
KRC375	70.0	71.0	1.005
KRC375	71.0	72.0	0.333
KRC375	72.0	73.0	0.465
KRC375	73.0	74.0	0.335
KRC375	74.0	75.0	1.475
KRC375	75.0	76.0	0.884
KRC375	76.0	77.0	0.729
KRC375	77.0	78.0	1.015
KRC375	78.0	79.0	1.055
KRC375	79.0	80.0	0.861
KRC375	80.0	81.0	0.439
KRC375	81.0	82.0	0.535
KRC375	82.0	83.0	0.628
KRC375	83.0	84.0	0.093
KRC375	84.0	85.0	0.012
KRC375	85.0	86.0	1.195
KRC375	86.0	87.0	0.343
KRC375	87.0	88.0	0.794
KRC375	88.0	89.0	0.952
KRC375	89.0	90.0	0.446
KRC375	90.0	91.0	1.830
KRC375	91.0	92.0	0.251
KRC375	92.0	93.0	0.454
KRC375	93.0	94.0	0.432
KRC375	94.0	95.0	0.538
KRC375	95.0	96.0	0.487
KRC375	96.0	97.0	0.355
KRC375	97.0	98.0	0.085
KRC375	98.0	99.0	0.227
KRC375	99.0	100.0	0.290
KRC375	100.0	101.0	0.485
KRC376	73.0	74.0	0.639
KRC376	74.0	75.0	0.024
KRC376	75.0	76.0	0.011
KRC376	76.0	77.0	0.231
KRC376	77.0	78.0	0.630
KRC376	78.0	79.0	3.950
KRC376	79.0	80.0	0.571
KRC376	80.0	81.0	0.367
KRC376	88.0	89.0	0.517
KRC376	89.0	90.0	0.846
KRC376	90.0	91.0	0.484
KRC376	97.0	98.0	0.253
KRC376	98.0	99.0	0.234
KRC376	99.0	100.0	0.018
KRC376	100.0	101.0	0.152
KRC376	101.0	102.0	0.220
KRC376	102.0	103.0	0.099
KRC376	103.0	104.0	0.451
KRC376	104.0	105.0	0.141
KRC376	105.0	106.0	1.645
KRC376	106.0	107.0	0.037
KRC376	107.0	108.0	0.547
KRC376	108.0	109.0	0.422
KRC376	109.0	110.0	0.372
KRC376	110.0	111.0	0.611
KRC376	111.0	112.0	0.756

Hole ID	From (m)	To (m)	Gold g/t
KRC376	112.0	113.0	0.861
KRC376	113.0	114.0	0.763
KRC376	114.0	115.0	0.104
KRC376	115.0	116.0	1.030
KRC376	116.0	117.0	0.668
KRC376	117.0	118.0	0.736
KRC376	118.0	119.0	0.101
KRC376	119.0	120.0	0.323
KRC376	120.0	121.0	0.037
KRC376	121.0	122.0	0.022
KRC376	122.0	123.0	0.204
KRC376	123.0	124.0	0.359
KRC376	124.0	125.0	0.114
KRC376	125.0	126.0	0.255
KRC376	126.0	127.0	0.060
KRC376	127.0	128.0	0.087
KRC376	128.0	129.0	0.270
KRC376	129.0	130.0	0.202
KRC376	130.0	131.0	0.614
KRC376	131.0	132.0	0.592
KRC376	132.0	133.0	0.274
KRC376	141.0	142.0	0.516
KRC376	142.0	143.0	0.805
KRC376	143.0	144.0	0.715
KRC376	144.0	145.0	0.640
KRC376	145.0	146.0	0.682
KRC376	146.0	147.0	0.544
KRC376	147.0	148.0	0.384
KRC376	148.0	149.0	1.230
KRC376	149.0	150.0	0.245
KRC376	150.0	151.0	0.120
KRC376	151.0	152.0	0.227
KRC376	152.0	153.0	0.368
KRC376	153.0	154.0	1.410
KRC377	31.0	32.0	0.427
KRC377	32.0	33.0	0.362
KRC377	33.0	34.0	0.285
KRC377	34.0	35.0	0.455
KRC377	35.0	36.0	0.341
KRC377	36.0	37.0	0.474
KRC377	37.0	38.0	0.513
KRC377	38.0	39.0	0.364
KRC377	39.0	40.0	1.905
KRC377	40.0	41.0	0.317
KRC377	41.0	42.0	0.281
KRC377	42.0	43.0	0.297
KRC377	43.0	44.0	0.743
KRC377	44.0	45.0	0.643
KRC377	45.0	46.0	0.995
KRC377	46.0	47.0	0.915
KRC377	47.0	48.0	0.440
KRC377	48.0	49.0	0.763
KRC377	49.0	50.0	0.376
KRC377	50.0	51.0	0.570
KRC377	51.0	52.0	0.053
KRC377	52.0	53.0	0.007
KRC377	53.0	54.0	0.442
KRC377	54.0	55.0	0.834
KRC377	55.0	56.0	0.850
KRC377	56.0	57.0	0.390

Hole ID	From (m)	To (m)	Gold g/t
KRC377	57.0	58.0	0.722
KRC377	58.0	59.0	1.715
KRC377	59.0	60.0	1.435
KRC377	60.0	61.0	1.855
KRC377	61.0	62.0	0.223
KRC377	62.0	63.0	0.487
KRC377	63.0	64.0	0.388
KRC377	64.0	65.0	1.195
KRC377	65.0	66.0	0.966
KRC377	66.0	67.0	0.229
KRC377	67.0	68.0	0.873
KRC377	68.0	69.0	0.658
KRC377	69.0	70.0	0.263
KRC377	70.0	71.0	1.180
KRC377	71.0	72.0	0.431
KRC377	72.0	73.0	0.636
KRC377	73.0	74.0	0.590
KRC377	74.0	75.0	0.543
KRC377	75.0	76.0	0.630
KRC377	76.0	77.0	0.158
KRC377	77.0	78.0	0.238
KRC377	78.0	79.0	1.025
KRC377	79.0	80.0	0.536
KRC377	80.0	81.0	0.181
KRC377	81.0	82.0	0.231
KRC377	82.0	83.0	0.185
KRC377	83.0	84.0	0.289
KRC377	84.0	85.0	0.898
KRC377	85.0	86.0	0.201
KRC377	86.0	87.0	0.129
KRC377	87.0	88.0	0.973
KRC377	88.0	89.0	0.147
KRC377	89.0	90.0	0.334
KRC377	90.0	91.0	0.256
KRC377	91.0	92.0	0.513
KRC378	90.0	91.0	0.464
KRC378	91.0	92.0	1.035
KRC378	92.0	93.0	0.518
KRC378	93.0	94.0	0.456
KRC378	94.0	95.0	0.388
KRC378	95.0	96.0	2.150
KRC378	96.0	97.0	0.583
KRC378	97.0	98.0	0.091
KRC378	98.0	99.0	0.233
KRC378	102.0	103.0	0.265
KRC378	103.0	104.0	0.543
KRC378	104.0	105.0	0.305
KRC378	105.0	106.0	0.215
KRC378	106.0	107.0	0.446
KRC378	107.0	108.0	0.219
KRC378	108.0	109.0	0.179
KRC378	109.0	110.0	0.248
KRC378	110.0	111.0	0.410
KRC378	111.0	112.0	0.661
KRC378	112.0	113.0	0.309
KRC378	113.0	114.0	0.502
KRC378	114.0	115.0	1.120
KRC378	115.0	116.0	0.839
KRC378	116.0	117.0	0.124
KRC378	117.0	118.0	0.456

Hole ID	From (m)	To (m)	Gold g/t
KRC378	118.0	119.0	0.962
KRC378	119.0	120.0	1.240
KRC378	120.0	121.0	0.545
KRC378	121.0	122.0	1.315
KRC378	122.0	123.0	0.951
KRC378	123.0	124.0	0.294
KRC378	124.0	125.0	0.793
KRC378	125.0	126.0	0.424
KRC378	126.0	127.0	0.495
KRC378	127.0	128.0	1.080
KRC378	128.0	129.0	1.535
KRC378	129.0	130.0	0.951
KRC378	130.0	131.0	0.939
KRC378	131.0	132.0	4.060
KRC378	132.0	133.0	0.647
KRC378	133.0	134.0	0.827
KRC378	134.0	135.0	1.645
KRC378	135.0	136.0	0.448
KRC378	136.0	137.0	0.755
KRC378	137.0	138.0	0.526
KRC378	138.0	139.0	0.301
KRC378	139.0	140.0	0.273
KRC378	140.0	141.0	0.143
KRC378	141.0	142.0	0.153
KRC378	142.0	143.0	0.237
KRC378	143.0	144.0	0.680
KRC378	144.0	145.0	0.687
KRC378	145.0	146.0	0.605
KRC378	146.0	147.0	0.454
KRC378	147.0	148.0	1.010
KRC378	151.0	152.0	0.528
KRC378	152.0	153.0	0.253
KRC378	153.0	154.0	0.944
KRC378	154.0	155.0	0.226
KRC379	105.0	106.0	0.214
KRC379	106.0	107.0	0.171
KRC379	107.0	108.0	0.444
KRC379	108.0	109.0	0.663
KRC379	109.0	110.0	0.094
KRC379	110.0	111.0	0.224
KRC379	111.0	112.0	0.153
KRC379	112.0	113.0	0.330
KRC379	116.0	117.0	0.605
KRC379	117.0	118.0	0.235
KRC379	118.0	119.0	2.150
KRC379	119.0	120.0	1.580
KRC379	120.0	121.0	0.677
KRC379	121.0	122.0	0.672
KRC379	122.0	123.0	1.650
KRC379	123.0	124.0	0.419
KRC379	124.0	125.0	0.249
KRC379	125.0	126.0	0.203
KRC379	126.0	127.0	0.450
KRC379	127.0	128.0	0.227
KRC379	131.0	132.0	0.924
KRC379	132.0	133.0	1.400
KRC379	133.0	134.0	0.407
KRC379	134.0	135.0	0.300
KRC379	135.0	136.0	0.599
KRC379	136.0	137.0	1.870

Hole ID	From (m)	To (m)	Gold g/t
KRC379	137.0	138.0	0.271
KRC379	138.0	139.0	0.099
KRC379	139.0	140.0	0.125
KRC379	140.0	141.0	0.472
KRC379	141.0	142.0	0.211
KRC379	142.0	143.0	0.300
KRC379	143.0	144.0	0.199
KRC379	144.0	145.0	0.274
KRC379	145.0	146.0	0.125
KRC379	146.0	147.0	0.222
KRC379	147.0	148.0	0.055
KRC379	148.0	149.0	0.125
KRC379	149.0	150.0	0.215
KRC379	150.0	151.0	0.324
KRC380	0.0	1.0	0.228
KRC380	1.0	2.0	0.493
KRC380	2.0	3.0	0.500
KRC380	3.0	4.0	0.704
KRC380	4.0	5.0	0.558
KRC380	5.0	6.0	0.288
KRC380	9.0	10.0	0.351
KRC380	10.0	11.0	0.381
KRC380	11.0	12.0	0.161
KRC380	12.0	13.0	0.392
KRC380	13.0	14.0	0.262
KRC380	14.0	15.0	0.092
KRC380	15.0	16.0	0.245
KRC380	16.0	17.0	0.091
KRC380	17.0	18.0	0.200
KRC380	18.0	19.0	0.033
KRC380	19.0	20.0	0.875
KRC380	20.0	21.0	0.606
KRC380	21.0	22.0	0.503
KRC380	22.0	23.0	0.198
KRC380	23.0	24.0	1.620
KRC380	24.0	25.0	1.100
KRC380	25.0	26.0	2.070
KRC380	26.0	27.0	1.615
KRC380	27.0	28.0	1.135
KRC380	28.0	29.0	0.658
KRC380	29.0	30.0	1.295
KRC380	30.0	31.0	0.656
KRC380	31.0	32.0	0.395
KRC380	32.0	33.0	0.202
KRC380	33.0	34.0	0.526
KRC380	34.0	35.0	0.252
KRC380	35.0	36.0	0.066
KRC380	36.0	37.0	0.472
KRC380	37.0	38.0	0.608
KRC380	38.0	39.0	0.289
KRC380	39.0	40.0	0.219
KRC380	49.0	50.0	0.430
KRC380	50.0	51.0	0.648
KRC380	51.0	52.0	0.648
KRC380	52.0	53.0	0.223
KRC380	53.0	54.0	1.695
KRC380	54.0	55.0	0.613
KRC380	55.0	56.0	0.391
KRC381	172.0	173.0	0.335
KRC381	173.0	174.0	1.070

Hole ID	From (m)	To (m)	Gold g/t
KRC381	174.0	175.0	0.503
KRC381	175.0	176.0	0.913
KRC381	176.0	177.0	0.157
KRC381	177.0	178.0	2.910
KRC381	178.0	179.0	3.700
KRC381	179.0	180.0	1.265
KRC381	180.0	181.0	0.639
KRC381	181.0	182.0	0.600
KRC381	182.0	183.0	0.909
KRC381	183.0	184.0	0.296
KRC381	184.0	185.0	1.505
KRC381	185.0	186.0	1.355
KRC381	186.0	187.0	0.525
KRC381	187.0	188.0	0.261
KRC381	188.0	189.0	0.121
KRC381	189.0	190.0	0.621
KRC381	190.0	191.0	1.015
KRC381	191.0	192.0	3.270
KRC381	209.0	210.0	0.569
KRC381	210.0	211.0	0.100
KRC381	211.0	212.0	0.237
KRC381	212.0	213.0	0.135
KRC381	213.0	214.0	0.140
KRC381	214.0	215.0	0.484
KRC382	110.0	111.0	1.855
KRC382	111.0	112.0	0.961
KRC382	112.0	113.0	0.113
KRC382	113.0	114.0	0.711
KRC382	114.0	115.0	0.838
KRC382	118.0	119.0	1.015
KRC382	119.0	120.0	0.657
KRC382	120.0	121.0	0.495
KRC382	121.0	122.0	0.447
KRC382	125.0	126.0	0.276
KRC382	126.0	127.0	0.131
KRC382	127.0	128.0	1.420
KRC382	128.0	129.0	1.160
KRC382	129.0	130.0	1.590
KRC382	130.0	131.0	0.294
KRC382	131.0	132.0	0.333
KRC382	132.0	133.0	0.203
KRC382	133.0	134.0	0.531
KRC382	134.0	135.0	3.060
KRC382	135.0	136.0	0.361
KRC382	136.0	137.0	0.192
KRC382	137.0	138.0	0.269
KRC382	138.0	139.0	0.300
KRC382	139.0	140.0	0.377
KRC382	140.0	141.0	0.512
KRC382	141.0	142.0	0.217
KRC382	142.0	143.0	0.427
KRC382	143.0	144.0	0.417
KRC382	144.0	145.0	1.115
KRC382	145.0	146.0	0.281
KRC382	146.0	147.0	0.494
KRC382	147.0	148.0	0.423
KRC382	148.0	149.0	0.748
KRC382	149.0	150.0	0.226
KRC382	150.0	151.0	0.619
KRC382	151.0	152.0	0.155

Hole ID	From (m)	To (m)	Gold g/t
KRC382	152.0	153.0	0.090
KRC382	153.0	154.0	0.256
KRC382	154.0	155.0	3.090
KRC382	155.0	156.0	0.218
KRC383	1.0	2.0	0.406
KRC383	2.0	3.0	0.365
KRC383	3.0	4.0	0.560
KRC383	4.0	5.0	0.487
KRC383	9.0	10.0	0.997
KRC383	10.0	11.0	0.514
KRC383	11.0	12.0	0.654
KRC383	12.0	13.0	0.410
KRC383	13.0	14.0	0.231
KRC383	14.0	15.0	0.271
KRC383	15.0	16.0	1.625
KRC383	16.0	17.0	0.152
KRC383	17.0	18.0	0.194
KRC383	18.0	19.0	0.511
KRC383	19.0	20.0	1.510
KRC383	20.0	21.0	1.580
KRC383	21.0	22.0	0.586
KRC383	22.0	23.0	0.400
KRC383	23.0	24.0	1.405
KRC383	24.0	25.0	3.480
KRC383	25.0	26.0	0.373
KRC383	26.0	27.0	0.229
KRC383	27.0	28.0	0.278
KRC383	28.0	29.0	0.117
KRC383	29.0	30.0	0.122
KRC383	30.0	31.0	0.319
KRC383	31.0	32.0	0.490
KRC384	113.0	114.0	0.885
KRC384	114.0	115.0	0.603
KRC384	115.0	116.0	0.601
KRC384	116.0	117.0	0.156
KRC384	117.0	118.0	0.253
KRC384	118.0	119.0	0.447
KRC384	119.0	120.0	0.702
KRC384	120.0	121.0	0.942
KRC384	121.0	122.0	0.245
KRC384	122.0	123.0	0.350
KRC384	123.0	124.0	0.177
KRC384	124.0	125.0	0.643
KRC384	125.0	126.0	0.433
KRC384	126.0	127.0	1.860
KRC384	127.0	128.0	1.100
KRC384	128.0	129.0	0.455
KRC384	129.0	130.0	0.475
KRC384	130.0	131.0	0.283
KRC384	131.0	132.0	0.264
KRC384	132.0	133.0	0.487
KRC384	133.0	134.0	1.560
KRC384	134.0	135.0	0.909
KRC384	135.0	136.0	0.472
KRC384	136.0	137.0	0.110
KRC384	137.0	138.0	0.275
KRC384	138.0	139.0	1.000
KRC384	139.0	140.0	0.149
KRC384	140.0	141.0	0.186
KRC384	141.0	142.0	0.739

Hole ID	From (m)	To (m)	Gold g/t
KRC384	142.0	143.0	0.331
KRC384	143.0	144.0	0.661
KRC384	144.0	145.0	0.398
KRC384	145.0	146.0	0.044
KRC384	146.0	147.0	0.225
KRC384	147.0	148.0	15.000
KRC384	148.0	149.0	1.570
KRC384	149.0	150.0	0.636
KRC384	150.0	151.0	0.506
KRC384	151.0	152.0	0.039
KRC384	152.0	153.0	0.570
KRC385	99.0	100.0	0.345
KRC385	100.0	101.0	1.210
KRC385	101.0	102.0	0.827
KRC385	102.0	103.0	0.600
KRC385	103.0	104.0	0.296
KRC385	104.0	105.0	0.525
KRC385	105.0	106.0	0.288
KRC385	106.0	107.0	0.389
KRC385	107.0	108.0	0.267
KRC385	108.0	109.0	0.545
KRC385	109.0	110.0	0.897
KRC385	110.0	111.0	0.483
KRC385	115.0	116.0	0.320
KRC385	116.0	117.0	0.199
KRC385	117.0	118.0	0.742
KRC385	118.0	119.0	1.160
KRC385	119.0	120.0	0.166
KRC385	120.0	121.0	0.208
KRC385	121.0	122.0	0.392
KRC385	122.0	123.0	0.594
KRC385	123.0	124.0	0.612
KRC385	124.0	125.0	0.834
KRC385	125.0	126.0	0.388
KRC385	126.0	127.0	0.091
KRC385	127.0	128.0	0.532
KRC385	128.0	129.0	0.407
KRC385	129.0	130.0	0.397
KRC385	130.0	131.0	0.392
KRC385	131.0	132.0	0.125
KRC385	132.0	133.0	0.205
KRC385	133.0	134.0	0.477
KRC385	137.0	138.0	0.462
KRC385	138.0	139.0	0.419
KRC385	139.0	140.0	0.241
KRC385	140.0	141.0	0.040
KRC385	141.0	142.0	0.955
KRC385	142.0	143.0	0.114
KRC385	143.0	144.0	0.311
KRC385	144.0	145.0	2.440
KRC385	145.0	146.0	0.184
KRC385	146.0	147.0	0.240
KRC385	147.0	148.0	0.054
KRC385	148.0	149.0	0.369
KRC385	149.0	150.0	0.200
KRC386	35.0	36.0	0.221
KRC386	36.0	37.0	0.209
KRC386	37.0	38.0	0.441
KRC386	38.0	39.0	0.407
KRC386	39.0	40.0	0.359

Hole ID	From (m)	To (m)	Gold g/t
KRC386	40.0	41.0	0.355
KRC386	41.0	42.0	0.318
KRC386	48.0	49.0	0.267
KRC386	49.0	50.0	0.301
KRC386	50.0	51.0	0.421
KRC386	51.0	52.0	0.155
KRC386	52.0	53.0	1.720
KRC386	53.0	54.0	1.940
KRC386	54.0	55.0	0.338
KRC386	55.0	56.0	0.190
KRC386	56.0	57.0	0.359
KRC386	57.0	58.0	0.731
KRC386	58.0	59.0	0.433
KRC386	59.0	60.0	0.300
KRC386	60.0	61.0	0.205
KRC386	61.0	62.0	0.495
KRC386	65.0	66.0	0.516
KRC386	66.0	67.0	0.667
KRC386	67.0	68.0	1.330
KRC386	68.0	69.0	1.475
KRC386	69.0	70.0	1.080
KRC386	70.0	71.0	0.447
KRC386	71.0	72.0	0.731
KRC386	72.0	73.0	0.044
KRC386	73.0	74.0	1.245
KRC386	74.0	75.0	1.105
KRC386	75.0	76.0	0.083
KRC386	76.0	77.0	0.273
KRC386	77.0	78.0	0.119
KRC386	78.0	79.0	0.109
KRC386	79.0	80.0	0.296
KRC387	55.0	56.0	0.314
KRC387	56.0	57.0	0.529
KRC387	57.0	58.0	0.548
KRC387	58.0	59.0	0.285
KRC387	59.0	60.0	0.102
KRC387	60.0	61.0	0.765
KRC387	61.0	62.0	0.146
KRC387	62.0	63.0	0.221
KRC387	63.0	64.0	0.271
KRC387	64.0	65.0	0.370
KRC387	65.0	66.0	0.736
KRC387	66.0	67.0	0.762
KRC387	71.0	72.0	0.238
KRC387	72.0	73.0	1.625
KRC387	73.0	74.0	0.647
KRC387	74.0	75.0	1.500
KRC387	75.0	76.0	0.379
KRC387	76.0	77.0	0.283
KRC387	77.0	78.0	0.043
KRC387	78.0	79.0	0.154
KRC387	79.0	80.0	0.589
KRC387	80.0	81.0	0.374
KRC387	81.0	82.0	0.877
KRC387	82.0	83.0	0.119
KRC387	83.0	84.0	0.242
KRC387	84.0	85.0	0.121
KRC387	85.0	86.0	0.207
KRC387	86.0	87.0	0.099
KRC387	87.0	88.0	0.142

Hole ID	From (m)	To (m)	Gold g/t
KRC387	88.0	89.0	0.554
KRC387	89.0	90.0	0.965
KRC387	90.0	91.0	0.142
KRC387	91.0	92.0	1.005
KRC387	92.0	93.0	0.260
KRC387	93.0	94.0	0.253
KRC387	94.0	95.0	0.091
KRC387	95.0	96.0	0.025
KRC387	96.0	97.0	0.411
KRC387	110.0	111.0	0.275
KRC387	111.0	112.0	0.033
KRC387	112.0	113.0	0.070
KRC387	113.0	114.0	0.416
KRC387	114.0	115.0	0.286
KRC387	115.0	116.0	0.110
KRC387	116.0	117.0	0.028
KRC387	117.0	118.0	2.120
KRC388	20.0	21.0	0.274
KRC388	21.0	22.0	0.335
KRC388	22.0	23.0	0.272
KRC388	23.0	24.0	0.189
KRC388	24.0	25.0	0.651
KRC388	25.0	26.0	0.867
KRC388	26.0	27.0	1.150
KRC388	27.0	28.0	0.302
KRC388	28.0	29.0	0.838
KRC388	29.0	30.0	0.901
KRC388	30.0	31.0	0.351
KRC388	31.0	32.0	0.231
KRC388	32.0	33.0	0.724
KRC388	33.0	34.0	0.438
KRC388	34.0	35.0	0.217
KRC388	39.0	40.0	0.377
KRC388	40.0	41.0	0.265
KRC388	41.0	42.0	1.160
KRC388	42.0	43.0	0.372
KRC388	43.0	44.0	0.406
KRC388	44.0	45.0	0.334
KRC388	45.0	46.0	0.692
KRC388	46.0	47.0	0.542
KRC388	47.0	48.0	0.409
KRC388	48.0	49.0	0.423
KRC388	49.0	50.0	0.191
KRC388	50.0	51.0	0.680
KRC388	51.0	52.0	0.194
KRC388	52.0	53.0	0.080
KRC388	53.0	54.0	0.862
KRC388	54.0	55.0	0.529
KRC388	55.0	56.0	0.652
KRC388	56.0	57.0	0.238
KRC388	57.0	58.0	1.025
KRC388	58.0	59.0	0.151
KRC388	59.0	60.0	0.698
KRC388	60.0	61.0	0.261
KRC388	61.0	62.0	0.043
KRC388	62.0	63.0	0.333
KRC388	63.0	64.0	0.350
KRC388	64.0	65.0	1.390
KRC389	3.0	4.0	0.239
KRC389	4.0	5.0	0.131

Hole ID	From (m)	To (m)	Gold g/t
KRC389	5.0	6.0	0.206
KRC389	6.0	7.0	0.294
KRC389	38.0	39.0	0.327
KRC389	39.0	40.0	0.364
KRC389	40.0	41.0	0.146
KRC389	41.0	42.0	0.049
KRC389	42.0	43.0	0.366
KRC389	43.0	44.0	0.042
KRC389	44.0	45.0	0.097
KRC389	45.0	46.0	0.205
KRC389	46.0	47.0	0.458
KRC389	55.0	56.0	0.955
KRC389	56.0	57.0	0.058
KRC389	57.0	58.0	0.126
KRC389	58.0	59.0	0.713
KRC389	59.0	60.0	0.074
KRC389	60.0	61.0	0.998
KRC389	61.0	62.0	0.601
KRC389	62.0	63.0	0.602
KRC389	63.0	64.0	0.786
KRC389	64.0	65.0	0.157
KRC389	65.0	66.0	2.120
KRC389	66.0	67.0	0.034
KRC389	67.0	68.0	0.552
KRC389	68.0	69.0	0.283
KRC389	69.0	70.0	0.952
KRC389	70.0	71.0	0.145
KRC389	71.0	72.0	0.409
KRC389	72.0	73.0	0.003
KRC389	73.0	74.0	0.516
KRC389	74.0	75.0	0.194
KRC389	75.0	76.0	0.948
KRC389	76.0	77.0	1.345
KRC389	77.0	78.0	0.448
KRC389	78.0	79.0	0.405
KRC389	79.0	80.0	1.620
KRC389	80.0	81.0	0.142
KRC389	81.0	82.0	1.885
KRC389	82.0	83.0	4.710
KRC389	83.0	84.0	1.085
KRC389	84.0	85.0	0.202
KRC389	85.0	86.0	1.270
KRC389	86.0	87.0	0.973
KRC389	87.0	88.0	0.362
KRC389	88.0	89.0	0.154
KRC389	89.0	90.0	1.210
KRC389	90.0	91.0	0.333
KRC389	91.0	92.0	0.395
KRC389	92.0	93.0	0.467
KRC389	93.0	94.0	0.078
KRC389	94.0	95.0	1.575
KRC389	101.0	102.0	0.828
KRC389	102.0	103.0	30.000
KRC389	103.0	104.0	1.400
KRC389	104.0	105.0	0.683
KRC389	105.0	106.0	1.310
KRC389	106.0	107.0	0.113
KRC389	107.0	108.0	0.218
KRC389	166.0	167.0	1.390
KRC389	167.0	168.0	0.014

Hole ID	From (m)	To (m)	Gold g/t
KRC389	168.0	169.0	0.050
KRC389	169.0	170.0	0.349
KRC389	198.0	199.0	1.140
KRC389	199.0	200.0	0.643
KRC389	200.0	201.0	1.675
KRC389	201.0	202.0	0.154
KRC389	202.0	203.0	0.493
KRC389	203.0	204.0	4.010
KRC389	204.0	205.0	12.350
KRC389	205.0	206.0	6.840
KRC389	206.0	207.0	3.470
KRC389	207.0	208.0	3.740
KRC389	208.0	209.0	6.660
KRC389	209.0	210.0	1.010
KRC389	210.0	211.0	1.375
KRC389	211.0	212.0	0.528
KRC389	212.0	213.0	2.410
KRC389	213.0	214.0	0.790
KRC389	214.0	215.0	0.061
KRC389	215.0	216.0	0.157
KRC389	216.0	217.0	0.466
KRC389	217.0	218.0	0.034
KRC389	218.0	219.0	0.258
KRC389	219.0	220.0	4.190
KRC389	220.0	221.0	4.790
KRC389	221.0	222.0	0.784
KRC389	222.0	223.0	0.961
KRC389	223.0	224.0	0.101
KRC389	224.0	225.0	0.442
KRC389	225.0	226.0	0.082
KRC389	226.0	227.0	0.428
KRC389	231.0	232.0	0.539
KRC389	232.0	233.0	5.310
KRC389	233.0	234.0	0.248
KRC389	234.0	235.0	0.529
KRC389	235.0	236.0	0.003
KRC389	236.0	237.0	0.290
KRC389	237.0	238.0	0.184
KRC389	238.0	239.0	0.113
KRC389	239.0	240.0	0.224
KRC389	240.0	241.0	0.025
KRC389	241.0	242.0	0.486
KRC389	242.0	243.0	0.055
KRC389	243.0	244.0	0.101
KRC389	244.0	245.0	0.417
KRC389	245.0	246.0	0.191
KRC389	246.0	247.0	0.374
KRC389	247.0	248.0	1.410
KRC389	248.0	249.0	0.267
KRC389	249.0	250.0	1.470
KRC389	250.0	251.0	1.955
KRC389	251.0	252.0	0.130
KRC389	252.0	253.0	0.268
KRC389	282.0	283.0	0.421
KRC389	283.0	284.0	0.098
KRC389	284.0	285.0	0.238
KRC389	285.0	286.0	0.267
KRC390	77.0	78.0	0.234
KRC390	78.0	79.0	0.416
KRC390	79.0	80.0	0.333

Hole ID	From (m)	To (m)	Gold g/t
KRC390	80.0	81.0	0.727
KRC390	81.0	82.0	0.351
KRC390	82.0	83.0	0.407
KRC390	83.0	84.0	0.822
KRC390	84.0	85.0	0.529
KRC390	85.0	86.0	0.227
KRC390	86.0	87.0	0.397
KRC390	87.0	88.0	0.299
KRC390	88.0	89.0	0.801
KRC390	94.0	95.0	0.853
KRC390	95.0	96.0	0.442
KRC390	96.0	97.0	0.584
KRC390	97.0	98.0	0.309
KRC390	98.0	99.0	0.433
KRC390	99.0	100.0	0.482
KRC390	100.0	101.0	0.483
KRC390	101.0	102.0	0.710
KRC390	102.0	103.0	0.687
KRC390	103.0	104.0	0.458
KRC390	104.0	105.0	1.700
KRC390	105.0	106.0	0.313
KRC390	106.0	107.0	0.292
KRC390	107.0	108.0	0.955
KRC390	111.0	112.0	0.387
KRC390	112.0	113.0	1.035
KRC390	113.0	114.0	1.430
KRC390	114.0	115.0	0.866
KRC390	115.0	116.0	1.330
KRC390	116.0	117.0	1.650
KRC390	117.0	118.0	0.303
KRC390	118.0	119.0	0.631
KRC390	119.0	120.0	0.493
KRC390	120.0	121.0	0.026
KRC390	121.0	122.0	0.983
KRC390	122.0	123.0	0.230
KRC390	123.0	124.0	0.669
KRC390	124.0	125.0	1.595
KRC390	125.0	126.0	0.087
KRC390	126.0	127.0	0.123
KRC390	127.0	128.0	0.328
KRC391	15.0	16.0	0.266
KRC391	16.0	17.0	0.254
KRC391	17.0	18.0	0.160
KRC391	18.0	19.0	0.261
KRC391	19.0	20.0	0.250
KRC391	20.0	21.0	0.544
KRC391	21.0	22.0	0.511
KRC391	22.0	23.0	0.158
KRC391	23.0	24.0	0.606
KRC391	24.0	25.0	0.175
KRC391	25.0	26.0	0.321
KRC391	26.0	27.0	0.175
KRC391	27.0	28.0	0.255
KRC391	28.0	29.0	0.250
KRC391	29.0	30.0	0.375
KRC391	30.0	31.0	0.097
KRC391	31.0	32.0	0.420
KRC391	32.0	33.0	0.374
KRC391	33.0	34.0	0.403
KRC391	34.0	35.0	0.028

Hole ID	From (m)	To (m)	Gold g/t
KRC391	35.0	36.0	0.235
KRC391	36.0	37.0	0.923
KRC391	37.0	38.0	1.515
KRC391	38.0	39.0	2.010
KRC391	39.0	40.0	0.934
KRC391	40.0	41.0	0.244
KRC391	41.0	42.0	0.231
KRC391	42.0	43.0	0.026
KRC391	43.0	44.0	6.260
KRC391	44.0	45.0	0.189
KRC391	45.0	46.0	2.480
KRC392	36.0	37.0	0.730
KRC392	37.0	38.0	0.531
KRC392	38.0	39.0	0.383
KRC392	42.0	43.0	1.175
KRC392	43.0	44.0	0.853
KRC392	44.0	45.0	0.312
KRC392	45.0	46.0	0.813
KRC392	46.0	47.0	0.241
KRC392	47.0	48.0	0.140
KRC392	48.0	49.0	0.119
KRC392	49.0	50.0	0.427
KRC392	50.0	51.0	0.509
KRC392	51.0	52.0	0.968
KRC392	52.0	53.0	0.108
KRC392	53.0	54.0	0.319
KRC392	54.0	55.0	0.295
KRC392	55.0	56.0	1.085
KRC392	56.0	57.0	0.311
KRC392	57.0	58.0	0.280
KRC392	58.0	59.0	0.369
KRC392	59.0	60.0	0.256
KRC392	60.0	61.0	0.058
KRC392	61.0	62.0	0.502
KRC392	62.0	63.0	0.230
KRC392	66.0	67.0	0.386
KRC392	67.0	68.0	0.040
KRC392	68.0	69.0	1.130
KRC392	69.0	70.0	0.968
KRC392	70.0	71.0	1.150
KRC392	71.0	72.0	0.127
KRC392	72.0	73.0	0.686
KRC392	73.0	74.0	2.110
KRC392	74.0	75.0	0.910
KRC392	75.0	76.0	0.634
KRC392	76.0	77.0	1.825
KRC392	77.0	78.0	1.065
KRC392	78.0	79.0	0.776
KRC392	79.0	80.0	0.248
KRC392	80.0	81.0	0.058
KRC392	81.0	82.0	0.441
KRC393	104.0	105.0	0.279
KRC393	105.0	106.0	0.080
KRC393	106.0	107.0	0.013
KRC393	107.0	108.0	0.309
KRC393	108.0	109.0	1.005
KRC393	109.0	110.0	1.420
KRC393	110.0	111.0	0.951
KRC393	111.0	112.0	0.556
KRC393	112.0	113.0	0.351

Hole ID	From (m)	To (m)	Gold g/t
KRC393	113.0	114.0	0.336
KRC393	114.0	115.0	0.161
KRC393	115.0	116.0	0.308
KRC393	116.0	117.0	0.299
KRC393	122.0	123.0	0.770
KRC393	123.0	124.0	0.254
KRC393	124.0	125.0	0.376
KRC393	125.0	126.0	0.529
KRC393	126.0	127.0	1.530
KRC393	127.0	128.0	0.693
KRC393	128.0	129.0	0.993
KRC393	129.0	130.0	0.651
KRC393	130.0	131.0	0.193
KRC393	131.0	132.0	0.555
KRC393	132.0	133.0	0.298
KRC393	133.0	134.0	0.038
KRC393	134.0	135.0	0.091
KRC393	135.0	136.0	0.736
KRC393	136.0	137.0	2.170
KRC393	137.0	138.0	0.660
KRC393	138.0	139.0	1.490
KRC393	143.0	144.0	0.345
KRC393	144.0	145.0	0.763
KRC393	145.0	146.0	1.640
KRC393	146.0	147.0	0.923
KRC393	147.0	148.0	0.296
KRC393	148.0	149.0	0.838
KRC393	149.0	150.0	1.055
KRC393	150.0	151.0	0.362
KRC393	151.0	152.0	1.755
KRC393	152.0	153.0	0.236
KRC393	153.0	154.0	0.388
KRC393	154.0	155.0	0.196
KRC393	155.0	156.0	0.268
KRC393	156.0	157.0	0.066
KRC393	157.0	158.0	0.202
KRC393	158.0	159.0	0.296
KRC394	56.0	57.0	0.541
KRC394	57.0	58.0	0.605
KRC394	58.0	59.0	0.173
KRC394	59.0	60.0	0.160
KRC394	60.0	61.0	0.377
KRC394	61.0	62.0	0.237
KRC394	62.0	63.0	1.305
KRC394	63.0	64.0	0.446
KRC394	64.0	65.0	0.231
KRC394	65.0	66.0	0.143
KRC394	66.0	67.0	1.080
KRC394	67.0	68.0	0.177
KRC394	68.0	69.0	1.045
KRC394	69.0	70.0	0.159
KRC394	70.0	71.0	0.391
KRC394	71.0	72.0	0.503
KRC394	72.0	73.0	0.223
KRC394	73.0	74.0	0.919
KRC394	74.0	75.0	3.630
KRC394	75.0	76.0	3.670
KRC394	76.0	77.0	0.436
KRC394	77.0	78.0	1.355
KRC394	78.0	79.0	0.901

Hole ID	From (m)	To (m)	Gold g/t
KRC394	79.0	80.0	1.995
KRC394	80.0	81.0	0.323
KRC394	81.0	82.0	0.454
KRC394	82.0	83.0	0.317
KRC394	83.0	84.0	0.269
KRC394	84.0	85.0	0.008
KRC394	85.0	86.0	1.355
KRC394	86.0	87.0	0.852
KRC394	87.0	88.0	0.760
KRC394	88.0	89.0	0.348
KRC394	89.0	90.0	0.345
KRC394	90.0	91.0	0.186
KRC394	91.0	92.0	0.205
KRC394	92.0	93.0	0.089
KRC394	93.0	94.0	4.080
KRC394	94.0	95.0	1.980
KRC394	95.0	96.0	0.677
KRC394	96.0	97.0	0.193
KRC394	97.0	98.0	0.647
KRC394	98.0	99.0	0.713
KRC394	99.0	100.0	0.084
KRC394	100.0	101.0	0.227
KRC395	58.0	59.0	0.479
KRC395	59.0	60.0	1.335
KRC395	60.0	61.0	1.370
KRC395	61.0	62.0	0.644
KRC395	62.0	63.0	0.622
KRC395	72.0	73.0	0.332
KRC395	73.0	74.0	0.413
KRC395	74.0	75.0	0.477
KRC395	75.0	76.0	0.735
KRC395	76.0	77.0	0.585
KRC395	77.0	78.0	0.358
KRC395	78.0	79.0	0.463
KRC395	79.0	80.0	0.242
KRC395	80.0	81.0	0.927
KRC395	84.0	85.0	0.407
KRC395	85.0	86.0	0.789
KRC395	86.0	87.0	3.910
KRC395	87.0	88.0	0.465
KRC395	88.0	89.0	1.375
KRC395	89.0	90.0	0.379
KRC395	90.0	91.0	0.509
KRC395	91.0	92.0	0.171
KRC395	92.0	93.0	1.045
KRC395	93.0	94.0	0.107
KRC395	94.0	95.0	0.183
KRC395	95.0	96.0	0.470
KRC395	96.0	97.0	0.483
KRC396	69.0	70.0	0.360
KRC396	70.0	71.0	0.082
KRC396	71.0	72.0	0.099
KRC396	72.0	73.0	0.518
KRC396	76.0	77.0	0.254
KRC396	77.0	78.0	0.285
KRC396	78.0	79.0	1.040
KRC396	79.0	80.0	0.073
KRC396	80.0	81.0	0.356
KRC396	81.0	82.0	0.413
KRC396	82.0	83.0	0.155

Hole ID	From (m)	To (m)	Gold g/t
KRC396	83.0	84.0	0.448
KRC396	84.0	85.0	0.107
KRC396	85.0	86.0	1.480
KRC396	86.0	87.0	0.067
KRC396	87.0	88.0	0.487
KRC396	88.0	89.0	0.502
KRC396	89.0	90.0	0.437
KRC396	90.0	91.0	0.475
KRC396	91.0	92.0	1.185
KRC396	92.0	93.0	0.047
KRC396	93.0	94.0	0.199
KRC396	94.0	95.0	0.617
KRC396	95.0	96.0	2.110
KRC396	96.0	97.0	0.422
KRC396	97.0	98.0	2.900
KRC396	98.0	99.0	1.255
KRC396	99.0	100.0	6.380
KRC396	100.0	101.0	2.830
KRC396	101.0	102.0	1.640
KRC396	102.0	103.0	0.551
KRC396	103.0	104.0	0.275
KRC396	104.0	105.0	1.170
KRC396	105.0	106.0	0.458
KRC396	106.0	107.0	2.120
KRC396	107.0	108.0	3.920
KRC396	108.0	109.0	0.893
KRC396	109.0	110.0	2.100
KRC396	110.0	111.0	0.770
KRC396	111.0	112.0	0.942
KRC396	191.0	192.0	0.338
KRC396	192.0	193.0	1.195
KRC396	193.0	194.0	1.545
KRC396	194.0	195.0	0.136
KRC396	195.0	196.0	1.120
KRC396	196.0	197.0	1.475
KRC396	197.0	198.0	0.595
KRC396	198.0	199.0	1.690
KRC396	199.0	200.0	0.992
KRC396	200.0	201.0	0.832
KRC396	201.0	202.0	1.685
KRC396	202.0	203.0	0.470
KRC396	203.0	204.0	0.153
KRC396	204.0	205.0	0.505
KRC396	205.0	206.0	1.060
KRC396	206.0	207.0	1.360
KRC396	207.0	208.0	3.280
KRC396	208.0	209.0	13.600
KRC396	209.0	210.0	19.250
KRC396	210.0	211.0	8.200
KRC396	211.0	212.0	4.020
KRC396	212.0	213.0	6.900
KRC396	213.0	214.0	1.765
KRC396	214.0	215.0	10.200
KRC396	215.0	216.0	0.503
KRC396	216.0	217.0	0.657
KRC396	217.0	218.0	1.850
KRC396	218.0	219.0	4.920
KRC396	219.0	220.0	6.400
KRC396	223.0	224.0	0.385
KRC396	224.0	225.0	1.145

Hole ID	From (m)	To (m)	Gold g/t
KRC396	225.0	226.0	0.358
KRC396	226.0	227.0	0.579
KRC396	227.0	228.0	0.815
KRC396	228.0	229.0	12.850
KRC396	229.0	230.0	0.508
KRC396	230.0	231.0	0.721
KRC396	231.0	232.0	0.066
KRC396	232.0	233.0	0.220
KRC396	241.0	242.0	2.220
KRC396	242.0	243.0	0.806
KRC396	243.0	244.0	0.430
KRC396	244.0	245.0	0.692
KRC396	252.0	253.0	0.200
KRC396	253.0	254.0	0.362
KRC396	254.0	255.0	1.025
KRC396	255.0	256.0	0.132
KRC396	256.0	257.0	0.339
KRC397	14.0	15.0	0.357
KRC397	15.0	16.0	0.144
KRC397	16.0	17.0	0.633
KRC397	17.0	18.0	0.092
KRC397	18.0	19.0	0.190
KRC397	19.0	20.0	0.603
KRC397	20.0	21.0	1.190
KRC397	21.0	22.0	1.510
KRC397	22.0	23.0	0.842
KRC397	23.0	24.0	0.288
KRC397	24.0	25.0	0.211
KRC397	25.0	26.0	0.394
KRC397	26.0	27.0	0.380
KRC397	27.0	28.0	1.335
KRC397	28.0	29.0	0.250
KRC397	29.0	30.0	0.284
KRC397	34.0	35.0	0.920
KRC397	35.0	36.0	0.184
KRC397	36.0	37.0	0.205
KRC397	37.0	38.0	0.388
KRC397	38.0	39.0	0.628
KRC397	39.0	40.0	1.145
KRC397	40.0	41.0	0.354
KRC397	41.0	42.0	0.212
KRC397	42.0	43.0	0.478
KRC397	43.0	44.0	0.923
KRC397	44.0	45.0	0.199
KRC397	45.0	46.0	0.192
KRC397	46.0	47.0	0.965
KRC397	56.0	57.0	0.293
KRC397	57.0	58.0	0.168
KRC397	58.0	59.0	1.350
KRC397	59.0	60.0	0.401
KRC397	60.0	61.0	0.162
KRC397	61.0	62.0	0.222
KRC397	62.0	63.0	0.362
KRC399	73.0	74.0	0.488
KRC399	74.0	75.0	0.964
KRC399	75.0	76.0	0.386
KRC399	76.0	77.0	0.102
KRC399	77.0	78.0	0.507
KRC399	78.0	79.0	1.325
KRC399	82.0	83.0	0.213

Hole ID	From (m)	To (m)	Gold g/t
KRC399	83.0	84.0	0.276
KRC399	84.0	85.0	0.463
KRC399	85.0	86.0	0.417
KRC399	86.0	87.0	3.600
KRC399	87.0	88.0	0.720
KRC399	88.0	89.0	0.302
KRC399	89.0	90.0	0.081
KRC399	90.0	91.0	0.086
KRC399	91.0	92.0	0.720
KRC399	92.0	93.0	0.339
KRC399	93.0	94.0	0.759
KRC399	94.0	95.0	0.242
KRC399	95.0	96.0	0.485
KRC399	96.0	97.0	0.690
KRC399	97.0	98.0	0.764
KRC399	98.0	99.0	0.239
KRC399	99.0	100.0	0.208
KRC399	100.0	101.0	0.396
KRC399	101.0	102.0	0.259
KRC399	102.0	103.0	0.870
KRC399	103.0	104.0	0.299
KRC399	104.0	105.0	0.309
KRC399	105.0	106.0	0.190
KRC399	106.0	107.0	0.057
KRC399	107.0	108.0	0.555
KRC399	108.0	109.0	0.807
KRC399	109.0	110.0	1.600
KRC399	110.0	111.0	3.670
KRC399	111.0	112.0	0.904
KRC399	112.0	113.0	0.838
KRC399	113.0	114.0	0.424
KRC399	114.0	115.0	0.094
KRC399	115.0	116.0	0.286
KRC399	116.0	117.0	0.127
KRC399	117.0	118.0	0.060
KRC399	118.0	119.0	0.271
KRC399	119.0	120.0	0.106
KRC399	120.0	121.0	1.140
KRC400	86.0	87.0	0.239
KRC400	87.0	88.0	0.733
KRC400	88.0	89.0	0.379
KRC400	89.0	90.0	0.861
KRC400	90.0	91.0	1.025
KRC400	91.0	92.0	0.202
KRC400	100.0	101.0	0.444
KRC400	101.0	102.0	0.678
KRC400	102.0	103.0	1.050
KRC400	103.0	104.0	0.983
KRC400	104.0	105.0	0.404
KRC400	105.0	106.0	0.485
KRC400	106.0	107.0	0.491
KRC400	107.0	108.0	0.603
KRC400	108.0	109.0	1.455
KRC400	109.0	110.0	0.719
KRC400	114.0	115.0	0.313
KRC400	115.0	116.0	0.781
KRC400	116.0	117.0	0.424
KRC400	117.0	118.0	0.422
KRC400	118.0	119.0	0.306
KRC400	119.0	120.0	0.534

Hole ID	From (m)	To (m)	Gold g/t
KRC400	120.0	121.0	0.391
KRC401	112.0	113.0	0.858
KRC401	113.0	114.0	0.274
KRC401	114.0	115.0	0.127
KRC401	115.0	116.0	0.743
KRC401	116.0	117.0	0.423
KRC401	117.0	118.0	1.505
KRC401	118.0	119.0	0.934
KRC401	119.0	120.0	0.450
KRC401	120.0	121.0	1.245
KRC401	124.0	125.0	0.247
KRC401	125.0	126.0	0.052
KRC401	126.0	127.0	0.247
KRC401	127.0	128.0	0.280
KRC401	128.0	129.0	0.115
KRC401	129.0	130.0	0.365
KRC401	130.0	131.0	1.705
KRC402	4.0	5.0	0.639
KRC402	5.0	6.0	0.683
KRC402	6.0	7.0	0.766
KRC402	10.0	11.0	1.485
KRC402	11.0	12.0	0.210
KRC402	12.0	13.0	0.691
KRC402	13.0	14.0	0.296
KRC402	14.0	15.0	0.564
KRC402	15.0	16.0	1.165
KRC402	16.0	17.0	0.973
KRC402	17.0	18.0	0.143
KRC402	18.0	19.0	1.160
KRC402	19.0	20.0	0.528
KRC402	20.0	21.0	0.741
KRC402	21.0	22.0	0.771
KRC402	22.0	23.0	0.606
KRC402	23.0	24.0	0.228
KRC402	24.0	25.0	0.744
KRC402	25.0	26.0	0.238
KRC402	26.0	27.0	0.628
KRC402	27.0	28.0	0.316
KRC402	28.0	29.0	0.131
KRC402	29.0	30.0	0.094
KRC402	30.0	31.0	0.308
KRC402	59.0	60.0	0.567
KRC402	60.0	61.0	1.245
KRC402	61.0	62.0	0.014
KRC402	62.0	63.0	0.424
KRC404	29.0	30.0	1.170
KRC404	30.0	31.0	1.265
KRC404	31.0	32.0	0.346
KRC404	32.0	33.0	0.425
KRC404	39.0	40.0	1.035
KRC404	40.0	41.0	0.568
KRC404	41.0	42.0	1.330

Hole ID	From (m)	To (m)	Gold g/t
KRC404	42.0	43.0	0.646
KRC404	43.0	44.0	0.382
KRC404	44.0	45.0	0.287
KRC404	45.0	46.0	0.513
KRC404	46.0	47.0	0.463
KRC404	47.0	48.0	0.761
KRC404	48.0	49.0	0.256
KRC404	49.0	50.0	0.545
KRC404	50.0	51.0	0.139
KRC404	51.0	52.0	0.071
KRC404	52.0	53.0	0.321
KRC404	69.0	70.0	0.258
KRC404	70.0	71.0	0.613
KRC404	120.0	121.0	0.259
KRC404	121.0	122.0	0.052
KRC405	0.0	1.0	1.880
KRC405	1.0	2.0	0.578
KRC405	2.0	3.0	0.567
KRC405	3.0	4.0	0.282
KRC406	134.0	135.0	0.412
KRC406	135.0	136.0	0.145
KRC406	136.0	137.0	0.265
KRC406	137.0	138.0	0.693
KRC406	138.0	139.0	0.399
KRC406	139.0	140.0	0.492
KRC406	140.0	141.0	0.429
KRC406	141.0	142.0	0.177
KRC406	142.0	143.0	0.035
KRC406	143.0	144.0	1.275
KRC406	144.0	145.0	0.203
KRC406	145.0	146.0	0.264
KRC406	146.0	147.0	2.970
KRC406	147.0	148.0	0.436
KRC406	148.0	149.0	0.832
KRC406	149.0	150.0	0.751
KRC406	150.0	151.0	0.365
KRC406	151.0	152.0	0.111
KRC406	152.0	153.0	0.353
KRC406	153.0	154.0	0.188
KRC406	154.0	155.0	1.200
KRC406	158.0	159.0	0.202
KRC406	159.0	160.0	0.801
KRC406	160.0	161.0	0.301
KRC406	161.0	162.0	0.363
KRC406	162.0	163.0	0.245
KRC406	163.0	164.0	0.265
KRC406	164.0	165.0	0.171
KRC406	165.0	166.0	0.446
KRC406	166.0	167.0	0.267
KRC406	167.0	168.0	0.213
KRC406	168.0	169.0	0.237

Appendix 3. JORC Table 1 Reporting

Section 1 Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	• *Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.* • *Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.* • *Aspects of the determination of mineralisation that are Material to the Public Report.* • *In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.*	• Reverse circulation (RC) drilling was completed using a dedicated RC rig. • RC samples were collected from the drill rig cyclone over 1 m down-hole intervals and subsampled by cone-splitting; full length of the drill holes was sampled. • Samples are typically circa 2-4kg weight. A duplicate sample was retained on site for future reference. • Diamond drilling was completed using a dedicated diamond rig. Drillholes were angled at -60° from surface. • Diamond core was cut in half using a core saw for HQ diameters; NQ diameters were sampled full core. Sampling intervals are decided by a Company Geologist, based on the lithological contacts and on any change in alteration or mineralisation style. • Core sample length vary between 0.5m and 1.4m. The half core sampling is done by a Company Geologist.
Drilling techniques	• *Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).*	• RC drilling was carried out using a 140mm (5.5 inch) face sampling hammer. • Coring was completed using HQ size from surface – KDD drill holes – or NQ size for tails after RC pre-collars – KRD drill holes.
Drill sample recovery	• *Method of recording and assessing core and chip sample recoveries and results assessed.* • *Measures taken to maximise sample recovery and ensure representative nature of the samples.* • *Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.*	• RC recoveries were determined by weighting each drill metre bag. Samples are sieved and logged by supervising Geologist; sample weight, quality, moisture and any contamination are recorded. • RC samples quality and recovery was excellent, with dry samples and consistent weight obtained. • Drill core recoveries were recorded at the drill rig. Core recoveries were excellent for all the drill programs. • Sample bias is not expected with the cut core.
Logging	• *Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and*	• All drill holes were logged in the field by Company Geologists. • On the RC holes, lithologies, alteration, minerals were recorded. Samples chips are collected and sorted into chip trays for future

Criteria	JORC Code explanation	Commentary
	metallurgical studies. • *Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.* • *The total length and percentage of the relevant intersections logged.*	geological references. • On the diamond holes, lithologies, alteration, minerals geotechnical measurements and structural data were recorded and uploaded into the Company database. Photography was taken on dry and wet core and on plain and cut core for further references. • Drill holes were logged in full. Logging was qualitative and quantitative in nature.
Sub-sampling techniques and sample preparation	• *If core, whether cut or sawn and whether quarter, half or all core taken.* • *If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.* • *For all sample types, the nature, quality and appropriateness of the sample preparation technique.* • *Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.* • *Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.* • *Whether sample sizes are appropriate to the grain size of the material being sampled.*	• The RC samples were collected from the rig cyclone and passed through a riffle splitter to reduce sample weight to a circa 2-4kg. • The sampling technique is considered industry standard and effective for this style of drilling. • Samples were crushed and pulverized at the ALS laboratory in Okahandja before being shipped to Johannesburg for assay. • RC samples were assayed using method Au-AA24 for gold. • The sample preparation procedures carried out are considered acceptable. Blanks, standards (CRM) and duplicates are used to monitor Quality Control and representativeness of samples. • The diamond core was cut longitudinally using a core saw on HQ diameters, to sample half core; NQ diameters were sampled full core. • Core samples were collected by a Company Geologist and sent off to the laboratory for assay. • Core samples were crushed and pulverized at the ALS laboratory in Okahandja before being shipped to Johannesburg for assay. • Drilling samples were assayed using methods Au-AA24 for gold. • The sample preparation procedures carried out are considered acceptable. Blanks and standards (CRM) are used to monitor Quality Control and representativeness of samples.
Quality of assay data and laboratory tests	• *The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.* • *For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.* • *Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.*	• RC samples and core samples were assayed by 50g Lead collection fire assay in new pots and analysed by Atomic Absorption Spectroscopy (AAS) for gold. • Industry best practice procedures were followed and included submitting blanks, field duplicates and Certified Reference Material. Acceptable levels of accuracy and precision have been confirmed.

Criteria	JORC Code explanation	Commentary
Verification of sampling and assaying	• *The verification of significant intersections by either independent or alternative company personnel.* • *The use of twinned holes.* • *Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.* • *Discuss any adjustment to assay data.*	• At this stage, the intersections have been verified by the Company Geologists. • All field data is manually collected, entered into excel spreadsheets, validated and loaded into a database. • Electronic data is stored on a cloud server and routinely backed up. • Data is exported from the database for processing in a number of software packages.
Location of data points	• *Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.* • *Specification of the grid system used.* • *Quality and adequacy of topographic control.*	• Drill holes collar locations were recorded at the completion of each hole by hand-held GPS. • Coordinates collected are in the WGS84 Zone 33S grid system
Data spacing and distribution	• *Data spacing for reporting of Exploration Results.* • *Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.* • *Whether sample compositing has been applied.*	• RC drill holes and diamond drill holes reported here were planned on a set grid with spacing of 100m in plan view and 50m between holes on sections. • The data spacing and distribution of sampling is sufficient to establish the degree of geological and grade continuity appropriate for Mineral Resource estimation procedures.
Orientation of data in relation to geological structure	• *Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.* • *If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.*	• Drill holes were positioned using geological information collected from the trenches and from the detailed mapping completed over the prospect. They are positioned perpendicular to the main schistosity and so to the inferred mineralisation main controls.
Sample security	• *The measures taken to ensure sample security.*	• Sampling is supervised by a Company Geologist and all samples are delivered to the laboratory in Okahandja by company staff.
Audits or reviews	• *The results of any audits or reviews of sampling techniques and data.*	• No reviews or audits have been conducted on the drilling reported in this announcement.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	• *Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.*	• The Damaran Project comprises 11 exclusive prospecting licenses (EPLs 6226, 4833, 8039, 7246, 4818, 4953, 6534, 6535, 8249, 7980, 8709) and located in central Namibia. EPL6226 is 100% held by Wia Gold in the name of Aloe Investments One Hundred and Ninety Two (Pty) Ltd.

Criteria	JORC Code explanation	Commentary
	• *The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.*	EPL4833, 4818, 7246, 8039 and 8249 are held under an 80% earn-in and join venture agreement with Epangelo Mining Limited, a private mining investment company with the Government of the Republic of Namibia as the sole shareholder. EPL6534, 6535, and 4953 are held under a company called Gazina Investments which is owned 90% by Wia and 10% by the vendor. • EPL7980 is 100% held by WiaGold in the name of Damaran Exploration Namibia (PTY) Ltd.
Exploration done by other parties	• *Acknowledgment and appraisal of exploration by other parties.*	• Work completed prior to WiaGold includes stream sediment sampling, mapping, soil and rock chip sampling by Teck Cominco Namibia but data is unavailable. • This work did not cover the Okombahe permit, host of the Kokoseb gold discovery.
Geology	• *Deposit type, geological setting and style of mineralisation.*	• The Kokoseb Gold Project lies withing the Northern Central Zone of the Pan-African Damaran Orogenic Belt. The project area is underlain by neo-Proterozoic metasediments, including the Kuiseb schist formation, host of most of the known gold mineralisation in Namibia. Known gold deposits, including Kokoseb, are orogenic type deposits by nature. • Kokoseb gold mineralisation is hosted by the Kuiseb schist formation, biotite-schists (metasediments) which have been intruded by several granitic phases. The gold mineralised zone appears as a contact like aureole of the central granitic pluton, with a diameter of approximately 3km in each direction. • Gold mineralisation is present as native gold grains and lesser silver bearing gold grains been spacially associated with sulphides dominated by pyrrhotite, löllingite and arsenopyrite. Gold grains have developed at the contact between löllingite and arsenopyrite following a retrograde reaction.
Drill hole Information	• *A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:* ○ *easting and northing of the drill hole collar* ○ *elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar* ○ *dip and azimuth of the hole* ○ *down hole length and interception depth* ○ *hole length.* • *If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does*	• see tables in the appendix.

Criteria	JORC Code explanation	Commentary
	not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	
Data aggregation methods	• *In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.* • *Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.* • *The assumptions used for any reporting of metal equivalent values should be clearly stated.*	• Reported intercepts are calculated using weighted average at a cut-off grade of 0.5 g/t Au and allowing internal dilution of maximum 2m consecutive low-grade material.
Relationship between mineralisation widths and intercept lengths	• *These relationships are particularly important in the reporting of Exploration Results.* • *If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.* • *If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').*	• Drill holes are inclined at around 55 to 60 degrees, with azimuths generally perpendicular to local mineralisation trends, implying a true thickness around half the down-hole intercept lengths. • Intercepts are reported as they appear from the sampling.
Diagrams	• *Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.*	• Plan view maps of all drillhole are included.
Balanced reporting	• *Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.*	• All samples with assays have been reported.
Other substantive exploration data	• *Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.*	• No other exploration data is being reported at this time.
Further work	• *The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).*	• Refer to the text in the announcement for information on follow-up and/or next work programs.

Criteria	JORC Code explanation	Commentary
	• *Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.*	